

No. HSCC/LRSI/PG-1/106/Fur/01

Dated 25.01.2012

To

AMENDMENT-I

Subject : **“Supply of Furniture for Private Ward at LRS Institute of Tuberculosis & Respiratory Diseases New Delhi.**

Reference: **Tender No HSCC/LRSI/PG-1/106/FUR/2012**

Sir,

With reference to the subject tender work, please find enclosed Annexure-I & Annexure-II as AMENDMENT-I which shall form part of Tender / Contract and is to be submitted along with the tender document duly signed & stamped.

Annexure-1 to be submitted with technical bid
Annexure-II to be submitted with financial bid

All other terms & conditions of the bid documents shall remain unchanged.

Thanking you,

Yours faithfully,

(R.S.Raina)
General Manager (PG-1)

Enclosure: - Annexure-1 (3 pages)
Annexure-II (1 Page)

“REPLY TO BIDDERS QUERIES AND AMENDMENT TO TENDER”:-

Supply of Furniture for Private Ward at LRS Institute of Tuberculosis & Respiratory Diseases New Delhi .

CLARIFICATION / AMENDMENT No. – (Furniture)

Annexure-1

S.No.	Queries Raised	Reply
1	Specification for BOQ Item No 1 (part-A), Supply of Patient Bed	<p>Original specifications mentioned in BOQ & Volume-III stands deleted. Revised Specification for BOQ Item No -1 (part-A) is as below.</p> <p><u>A-1 Patient’s Bed</u></p> <p><u>Fowler’s Bed with Mattress</u></p> <ul style="list-style-type: none"> • Bed size 204 – 206 (L) x 90 – 92 (W) x 54 – 56(H)cms • Mechanically operated 4 sections, through crank mechanism, collapsible handle permanently attached to the screw. • Top CRMS perforated 16 gauge. • Smooth crank mechanism at the foot and panel to obtain head rise upto 80°C and knee fold upto 35°C. • Frame:- Tubular rectangular frame, U/H shaped legs on four 125cms Swivel castor (nylon / rubber) two brakes Head and legs SS bows with laminated panels. Corners buffers and mattress guards, four locations of drip rod. • Mattress 10cms covered with stain proof foam leather • Pre-treated and powder coated – 50 micron • Spare two wheels, one with a brake, a set of corner rubbers (4), two IV rods • In house quality test certificate to be provided with each bed.

2	Specification for BOQ Item No 2 (part-A), Supply of Steel Stool	Original specifications mentioned in Volume-III stands deleted. Revised Specification is as below. <u>Steel Stool (S.S. Top) – Attendant</u> Frame : Welded sheet metal construction. Top: Machine pressed 18G S.S. steel top (04 Cr 18 Ni 10) or (07 Cr 18 Ni 9) of IS-6911-1972. Shoes :Mounted on square rubber shoes Dimension: 300mm square rubber shoes Material: Angle and channels 14G CRCA sheet Finish: Pre-treated and powder coated 50 microns thickness. Test: As per 6.1.2 of IS-4033-1968 & latest amendments issued if any Marking: According to 7of IS-4033-1968 & latest amendments issued if any
3	Boq Item No 4- (Part-A) Patient Drug cabinet / Bed Side Locker (405(L)x405(w)x810(H) Two sizes have been mentioned in Specifications 450 (L) x 450 (W) x 750 (H) & 405(L)x405(w)x810(H)	Size of bed locker shall be as per BOQ 405(L)x405(w)x810(H)
4	BOQ – Part-B, Item No -1 Furniture for Doctors Duty room Size of Centre Table	Centre table shall have top size of 800mm(9W) Xx 550mm(D) & overall height of 425 mm
5	BOQ – Part-B, Item No -3 (One Two seater sofa set) Discrepancy in BOQ & Specifications	Specification will prevail over BOQ. Item to be supplied as per specifications
6	BOQ – Part-B, Item No -5 (Computer Table) Furniture for Doctors Duty room Discrepancy in size of computer table in BOQ (1200x450x750) & Specifications (1200mm x 750mm x 750mm).	Size of computer table shall be 1200mm x 750mm x 750mm & thickness of PLPB shall be 25mm as mentioned in specifications.
7	Specifications for 300 lit Fridge	Standard size double door with Frost free freezer along with stabilizer

8	BOQ – Part-B, Item No -8/ BOQ – Part-D, Item No -4 Wall mounted wooden cabinet with lock Discrepancy in size Depth in BOQ (320mm & Specifications (350mm). & Storage to be measured by (Width x Height) whereas unit mentioned is No	Size of Wall mounted cabinet shall be 600mm x 350mm as shown in drawing & mentioned in BOQ & for other specification will prevail. Unit shall be in Sqm
8	BOQ – Part-C, Item No -1/ BOQ Part-D Nursing Station (Duty Room) Office Table/Steel Table Discrepancy in thickness of PLPB top in BOQ 25mm & Specifications (3/4")	Thickness of PLPB top shall be 25 mm as mentioned in BOQ
9	BOQ – Part-C, Item No -3 Supply of Steel Amirah ;- Discrepancy in BOQ & specifications	Specifications shall prevail over BOQ
10	BOQ – Part-C, Item No -4 Supply of Steel file cabinet with four drawers ;- Discrepancy of size in BOQ & specifications	Specifications shall prevail over BOQ
11	BOQ – Part-D, Item No -1 Sister I/C Room Racks;- Discrepancy in overall size & size of angle in BOQ & specifications	Specifications shall prevail over BOQ
12	Whether the downloaded document from website can be submitted along with the cost of tender document of Rs. 5,000/-	Yes
13	Whether dealer can apply	As per tender terms & conditions only

All other terms & conditions of bid documents shall remain unchanged.

Annexure-II**New Items to be incorporated in BOQ & to be submitted along with BOQ (Volume-IV)**

Item No	Item Description	Unit	Qty	Rate in Figures (in Rs)	Rate in words (in Rs)	Amount in Figures (in Rs)
1.12	Supply of chair without arm rest one piece fully moulded P U foam in seat and back. Increases efficiency in office. Under structure shall have cantilever type frame made out of dia 25 MS ERW tube to form complete assemble powder coated..The polyurethane foam shall be 5.0 cm & moulded with density 45-55kg/cum.	No	2.00			

All other terms & conditions of bid documents shall remain unchanged.