

HSCC/Saf./office Fur/181/2015

Dated: 10.09.2015

All Bidders

Amendment-2

Subject: Tender for Package-I: Supply, installation, testing & commissioning of Modular type office & Laboratory Furniture & other associated works like minor civil, electrical, PHE works etc. for Super Specialty & Emergency Blocks at Safdarjung Hospital & VMMC, New Delhi

Dear Sir,

This has reference to the captioned subject works,

The following AMMENDMENT-2/CLARIFICATION-2 regarding revision of specifications with respect to the BOQ items may be noted, which shall be treated as a part of tender **to be submitted online duly signed & stamp along with tender**

BOQ items
2.

Descriptions
Tables for Addl. M.S. Room



MAIN TABLE of size 1800W x 900D x 750H mm with top of overall 48mm thick having board of 36mm thick & 12mm aluminium beading. Top is made up of 3 Parts with outer side tops made of Membrane & Center top is made with Black leatherite, Modesty in 18mm Laminated Chip Board with rectangular black membrane pad on facia & Vertical in 36mm Laminated Chip Board



SIDE UNIT with top made of 25mm thick Membrane with Body & Facia in 18mm Laminated Chip Board with shutter on one side & one open shelf & 1D+1F on other side.

Size - 1050x450x725



Mobile Board pedestal with 18 mm Membrane Top , Body & facia in 18mm Laminated Chip Board with 3 equal drawers - 450x575x560.



BACK UNIT with top made of 25mm thick Membrane & Understructure with Body & Facia in 18mm Laminated Chip Board with Openable Shutter on each end & two filing drawer unit in centre. Size - 1350x400x750

3.

Tables for HOD Room



MAIN TABLE of size 1500W x 600D x 750H with top made of overall 36mm with combination of 18mm Laminated Chip Board & 18mm Membrane moulding, Verticals in 18mm Laminated Chip Board & Modesty in 18mm Laminated Chip Board with rectangular Silver membrane patch on facia .



SIDE UNIT of size 900W x 450D x 725 with top made of 25mm thick Laminated Chip Board with Body & Facia in 18mm Laminated Chip Board with shutter on one side & one open shelf & 1D+1F on other side



BACK UNIT with top made of 25mm thick Laminated Chip Board & Understructure with Body & Facia in 18mm Laminated Chip Board with Openable Shutter on each end & two filing drawer unit in centre. Size - 1350x400x750



Keyboard tray of size 500x220x75mm made up of CRCA 1.2mm thick steel sheet duly powder coated having provision for mouse tray. The Keyboard tray runs on ball slides for smooth movement.



CPU trolley of 240mm height with adjustable width from 220 to 320mm width made of 1.6mm thick CRCA steel sheet duly powder coated with 2 Nos. lockable castors & 2 Nos. non lockable castors.

4. Tables for Accounts officer & Manager CSSD & PA



Table of an overall size 1200x600x750 with top made of 25mm thick Prelam Particle Board having Radial profile in front side . The table understructure has vertical leg made of 1.2mm CRCA double walled legs with triangular shape foot and top duly powder coated with ABS caps at ends. The modesty is made of 1.0mm CRCA sheet having perforation design in it duly powder coated. All the exposed edges sealed with 2mm PVC edge banding tape pressed at 200o C with hot melt glue on special machines.



Side unit of size – 900x450x750 Top 25mm Laminated Chip Board Body & Facia 18mm Laminated Chip Board with 2 drawer +1 filing of size - 450x450x675mm fixed with 50mm studs



BACK UNIT top 25mm Laminated Chip Board , u/st & facia 18mm Laminated Chip Board with 3 openable shutters of size – 1200W x 450D x 750H



Keyboard tray of size 500x220x75mm made up of CRCA 1.2mm thick steel sheet duly powder coated having provision for mouse tray. The Keyboard tray runs on ball slides for smooth movement.



CPU trolley of 240mm height with adjustable width from 220 to 320mm width made of 1.6mm thick CRCA steel sheet duly powder coated with 2 Nos. lockable castors & 2 Nos. non lockable castors.

5. **Tables for Consultant, Doctors Room & Office**



Table of an size 1200W x 600D x 750Hmm with top made of 25mm thick plain particle board having 0.6mm post formed decorative laminate on top and balancing laminate on unexposed face. The understructure is made of 18mm thick prelaminated particle board with all exposed edges sealed with 2mm PVC edge banding tape and all unexposed edges sealed with 0.6mm edge banding tape pressed at 200o C with hot melt glue on special machines. Table has a provision for wire manager caps at top.



Side Storage Unit of overall size 900x450x725 with top made of 25mm thick postformed particle board / 25mm pre-laminated particle board / 18mm postformed particle board / 18mm pre-laminated particle board and understructure made of 18mm pre-laminated particle board, having one openable shutter box on one side with shelf and two top drawers and one filing drawer on other side. All exposed edges are sealed with 2mm thick PVC edge banding tape and all unexposed edges sealed with 0.6mm edge banding tape pressed at 200o C with hot melt glue on special machines. The unit is provided with proper locking arrangement .



Keyboard tray of size 500x220x75mm made up of CRCA 1.2mm thick steel sheet duly powder coated having provision for mouse tray. The Keyboard tray runs on ball slides for smooth movement.



CPU trolley of 240mm height with adjustable width from 220 to 320mm width made of 1.6mm thick CRCA steel sheet duly powder coated with 2 Nos. lockable castors & 2 Nos. non lockable castors.

10. Bookcase Storages



Providing & Fixing Bookcase having overall size 915x325x1745mm made of CRCA Body of 0.8mm thick anti corrosion treated components & oven baked powder coating process & having top sliding 4 glass shutter.The storage shall have proper locking arrangement as per direction of engineer-in charge.

Other conditions of tender will remain unchanged.

Thanking you,

HSCC