

Request For Budgetary Estimate of furniture work for Director Office at Ground Floor, IPD Block, AIIMS Mangalagiri, Guntur-Andhra Pradesh

Ref.: HSCC/AIIMS-Guntur/Director Office/Fur/2024, Date: 11/06/2024

HSCC (India) Ltd. intends to invite on-line bids from eligible bidders, in single stage two bid systems for Supply, installation, testing and commissioning of furniture work for Director Office at Ground Floor, IPD Block, AIIMS Mangalagiri, Guntur-Andhra Pradesh.

Technical Specifications and Bill of Quantity proposed for Director Office furniture items are annexed herewith. It is requested to submit the Budgetary Quotation of the Director Office furniture with inclusive of all taxes & duties, 3 Years warranty and freight from warehouse to consignee location i.e. AIIMS Mangalagiri, Guntur-Andhra Pradesh.

The quotation should be on Company Letter Head with sign and stamp as per the BOQ format enclosed and should be submitted in both Hard & Soft Copy within 15 days of issue of this Notice at the following address:

General Manager (Procurement)
Furniture Department
HSCC (India) Ltd.,
E-6(A), Sector-1,
Noida (U.P.) - 201301.

Soft copy may please be sent to: rks_115@yahoo.co.in, l_singh@hsccltd.co.in

General Manager (Procurement),
HSCC (India) Ltd.

Technical Specifications of Director Office Table, Visitor Chairs, Conference Room Table & Chairs for Director Office at Ground Floor, IPD Block, AIIMS Mangalagiri, Guntur-Andhra Pradesh

1. L Shape Official Table: (Quantity: 01 No.'s)



Supply and installation of plywood base Korean top finishing L shape office Table or as per Room Table size with L 6'.0"X W 3'.0" X H 2'.6" Korean shall be 5 mm thick E1 grade with zero urea formaldehyde emissions ($\leq 8\text{mg}/100\text{ g oven dry board-perforated method}$) for better in-house quality. This should comply with (710 Grade BWP green ply). All Exposed edges of ply board to be sealed with 5 mm thick Korean finish and 0.8mm thick PVC edge-band to be applied on Non-exposed edges with the help of hot-melt glue through fit edge-banding machines, The Edge-banding of exposed area to be done in the way that there should not be any sharp edge or corner left after processing, All the exposed edges should have buffing radius of 1.5 to 2mm without affecting aesthetic value of the panel. Under structure: It consist of 25 mm thick Pre-laminated ply Board conforming to Grade II corresponding to All Exposed edges of board to be sealed with 5mm thick Korean and 0.8mm thick PVC edge-band to be applied on non-exposed edges with the help of hot-melt glue through fit edge-banding machines, The Edge-banding of exposed area to be done in the way that there should not be any sharp edge or corner left after processing.

2. Conference Table: (Quantity: 01 No.'s)



Supply and installation of 30-Seater plywood base Korean top finishing Rectangle Meeting Table or as per size of seminar Room. Table size with L 35'.0" X W 5'.0" X H 2'.0" Korean shall be 5.0 mm thick E1 grade with zero urea formaldehyde emissions ($\leq 8\text{mg}/100\text{g}$ oven dry board-perforated method) for better in-house and office quality. This should comply with (710 Grade BWP green ply).

All Exposed edges of ply board to be sealed with 2mm thick PVC edge band and 0.8mm thick PVC edge-band to be applied on Non-exposed edges with the help of hot-melt glue through fit edge-banding machines, The Edge-banding of exposed area to be done in the way that there should not be any sharp edge or corner left after processing, All the exposed edges should have buffing radius of 1.5 to 2mm without affecting aesthetic value of the panel. Under structure: It consist of 25 mm thick-laminated finish ply Board conforming to Grade II corresponding to All Exposed edges of board to be sealed with 2mm thick PVC edge band and 0.8mm thick PVC edge-band to be applied on non-exposed edges with the help of hot-melt glue through fit edge-banding machines, The Edge-banding of exposed area to be done in the way that there should not be any sharp edge or corner left after processing. Aluminium alloy 63400 - WP profile is used for connecting panels together. The product has a knock-down construction.

3. Conference Table Executive Chair: (Quantity: 05 No.'s)



Supply and fixing of premium quality office boss chairs back side with mesh, Adjustable head rest and lumbar support and adjustable arm rest with PU pad and cushion with PU moulded with synchro tilt mechanism with gas lift and base with moving wheel set for the chair moving adjustment boss chairs including with fixing labour transportation etc.

4. Conference Table Chairs. (Quantity: 50 No.'s)



Supplying of Conference table executive chairs back side with mesh, Adjustable head rest and lumbar support and adjustable arm rest with PU pad and cushion with PU moulded with synchro tilt mechanism base with heavy plastic wheels base for moving including with transportation etc.

5. Visitor Chairs. (Quantity: 04 No.'s)



Supplying of premium quality Visitor chairs with lumber support and adjustable arm rest, Back side with mesh base, SS chair base with S shape with PVC grip, PU moulded cushion including with all materials and all parts installation labour charges and transportation etc.

BUGETARY QUOTATION

**Supply, Installation, testing and commissioning of furniture work for Director Office at Ground Floor, IPD Block, AIIMS Mangalagiri,
Guntur-Andhra Pradesh**

Reference No.

HSCC/AIIMS-Guntur/Director Office/Fur/2024

Name of Manufacturer/Bidder

**Address & Contact Details of the Manufacturer/Bidder
submitting the Budgetary Quotation:**

S. No.	Name of Items	Unit	Total Quantity	Rate Per Unit (In Rs.) with inclusive of All Taxes & Duties and 3 Years Warranty	Amount (In Rs)with inclusive of All Taxes & Duties and 3 Years Warranty
1	L Shape Official Table	Each	1		
2	Conference Table	Each	1		
3	Conference Table Executive Chair	Each	5		
4	Conference Table Chairs	Each	50		
5	Visitor Chairs	Each	4		
Total Amount In Rs.					0