

**NATIONAL INSTITUTE OF HEALTH AND  
FAMILY WELFARE**

**TENDER FOR**

**GEO-TECHNICAL (SOIL) INVESTIGATION**

**FOR**

**PROPOSED CONSTRUCTION OF INTERNATIONAL HOSTEL,  
NATIONAL INSTITUTE OF HEALTH AND FAMILY WELFARE,  
MUNIRAKA, NEW DELHI.**

**BILL OF QUANTITIES**

**VOLUME-II**

December' 2012

Tender No. - HSCC/NIHFW/SOIL/2012

**HSCC (INDIA) LTD.**

(CONSULTANTS & ENGINEERS FOR MEGA HOSPITALS & LABORATORIES)  
E-6(A), sector-1, NOIDA (U.P) 201301 (India)

Phone: 0120-2542436-40  
2542447

Fax : 0120-

**BOQ- Geo-technical (Soil) investigation at National Institute of Health & Family Welfare (NIHFW) at Munirka, New Delhi**

S.No.	Description	Unit	Total Qty.	Rate (in Rs. Figure)	Rate (in Rs. Words)	Amount
<b>1</b>	<b>Soil boring, sampling, chemical analysis and report submission</b>	RM	40			
	Boring of holes of 150mm dia. In all types of soil excluding soft and hard rock but including boulders, gravels etc. upto the depth of 30m below the existing G.L. or refusal whichever is met earlier complete in all respects. (The quoted rate shall take care of following subheads.)					
	(a) Conducting standard penetration test in all bore holes at intervals of 1.5 m and also at change of strata as per IS codes of practices					
	(b) Collecting disturbed and undisturbed samples of soil at 1.5m interval and also at change of strata from the bore-holes.					
	(c) Recording of water table in bore hole after completion of boring as per scope of work.					
	(d) Conducting necessary tests on samples collected from each hole. The laboratory tests include chemical analysis of soil and water as per scope.					
	(e) Collection of water samples from bore holes for chemical test and analysis.					
<b>2</b>	<b>Plate Load Test</b>	Each	1			
	Conducting plate load tests using 750mm x 750mm square plate. Test should be continued till 25mm settlement in normal circumstances and 50mm in special cases such dense gravel, gravel and sand mixture is obtained or failure of the soil whichever is earlier as per IS:1888 or refusal whichever is earlier					
<b>3</b>	<b>Rock Sampling</b>	Metre	10			
	Boring of holes of 150mm dia. Into hard rocks in case hard rock is met at a depth lesser than 30 meter below the existing G.L. or refusal whichever is met earlier complete in all respects					

**BOQ- Geo-technical (Soil) investigation at National Institute of Health & Family Welfare (NIHFW) at Munirka, New Delhi**

<b>S.No.</b>	<b>Description</b>	<b>Unit</b>	<b>Total Qty.</b>	<b>Rate (in Rs. Figure)</b>	<b>Rate (in Rs. Words)</b>	<b>Amount</b>
<b>4</b>	<b>Other penetration tests:</b>					
	Conducting static cone penetration test as specified and in locations indicated and depth upto 10.0 m or refusal whichever is earlier	Each	16			
	Conducting Dynamic cone penetration test as specified and in locations indicated and depth upto 10.0m or refusal whichever is earlier.	Each	5			
	Conducting field density test as specified at 1.5m, 2.5m and 3.5m depth at each locations.	Each	2			
<b>5</b>	Conducting soil resistivity test as per IS 3043 and submission of test results as part of draft and final report.	Each	4			
	<b>Total</b>					