ALL INDIA INSTITUTE OF MEDICAL SCIENCES (AIIMS), NEW DELHI

Tender

For

Supply, installation, testing & commissioning of Office Furniture & associated miscellaneous works like minor civil, electrical, PHE works etc. for P C Teaching Block at AHMS, Ansari Nagar, New Delhi

Volume-IV

BILL OF QUANTITIES

SEPTEMBER' 2013



HSCC (INDIA) LTD. (CONSULTANTS & ENGINEERS FOR MEGA HOSPITALS & LABORATORIES) E-6(A), sector-1, NOIDA(U.P) 201301 (India)

Phone: 0120-2542436-40 Fax: 0120-2542447

PQ tender No. HSCC/PCT-AIIMS/Fur/2013

•	ect : Supply, installation, testing & commis or P C Teaching Block at AHMS, Ansari N	_		niture & associated misce	ellaneous works like minor ci	vil, electrical, PHE works
	BOQ item description shall be read in conj to include all works/ requirements specifi		chnical spe	ecifications & Conditions	* * * * * * * * * * * * * * * * * * * *	d their quoted rates shall
			BIII 01 Q	uantity (BOQ)		
S.No.	Description of Items	Unit	Qty	Rate in figures in Rs.	Rate in words in Rs.	Amount in Rs.
1	P/F ISI marked phenol bonded block board of 19mm thick in table tops, shelves, footrests, side etc. cut edeges exposed to be finished with teak wood gola of size 20x5mm & unexposed with margin of size 20x3mm with sprit polishing including fixing with fevicol/ superior glue, steel					
	screws, nails etc. all complete as per the					
	direction of Engineer in charge.	Sqm	6427.0	12		
	direction of Engineer in charge.	Sqiii	0427.0			
2	P/F ISI marked phenol bonded 6mm ply wood in of required thick in ward robes, almirah, table etc. with glue (fevicol or SR 998) screws, nails etc. all complete as per the direction of Engineer in charge	Same	879.2	.1		
	the direction of Engineer in charge.	Sqm	8/9.2	.1		

	Bill of Quantity (BOQ)							
S.No.	Description of Items	Unit	Qty	Rate in figures in Rs.	Rate in words in Rs.	Amount in Rs.		
3	P/F 100mm wide vertical blinds in required size and shape with all accessories as per							
	the sample approved by Engineer in charge (Mac/ Vista make)	Sqm	2605.86					
4	P/F notice board made of 12mm thick cellotax board with back of 6mm thick phenol bonded ply with all round aluminum beading (C-channel) of 16 gauge with blue or mahroon cloth of best available on face with corner brackets etc complete as per the direction of Engineer in charge.	Sqm	30					
5	P/F 10mm thick table top plain glass with edge rounded off in required size and shape as per the direction of Engineer in charge (Modi guard/ Saint gobin/ Tata make)	Sqm	40.5					
6	P/F powder coated telescopic sliding drawer channel 300mm long with necessary screws etc complete as per the direction of Engineer in charge.	Pair	75					

		Bill of Quantity (BOQ)				
S.No.	Description of Items	Unit	Qty	Rate in figures in Rs.	Rate in words in Rs.	Amount in Rs.
7	P/F 1mm thick SS piano hinges bright finished nickle plated with screws of overall width 35mm.	Meter	3496.9			
8	P/F magnet catcher of approved quality and make as per the direction of Engineer in charge - Double stop horizontal type.	Each	4330			
9	P/F teak wood cornic 50x50mm at the junction of panelling and wall all complete as per the approved design by Engineer in charge.	Rm	60			

		Bill of Quantity (BOQ)				
S.No.	Description of Items	Unit	Qty	Rate in figures in Rs.	Rate in words in Rs.	Amount in Rs.
10						
	Providing and fixing aluminium work for					
	doors, windows, ventilators and partitions					
	extruded built up standard tubular					
	sections/approriate Z sections and other					
	sections of approved make conforming to					
	IS: 733 and IS: 1285, fixing with dash					
	fastners of required dia and size, including					
	necessary filling up the gaps at junctions,					
	i.e. at top, bottom and sides with required					
	EPDM rubber/neoprene gasket etc.					
	Aluminium sections shall be smooth, rust					
	free straight, mitred and joined					
	mechanically wherever required including					
	cleat angle, aluminium snap beading for					
	glazing/ paneling, C.P. brass/stainless steel					
	screws, all complete as per architectural					
	drawings and the directions of Engineer-in-					
	charge.(Glazing, paneling and dash					
	fasteners to be paid for seperately)					
a	For fixed portion					
	Powder coated Aluminium (50micron)	kg	434.25			

		Bill of Quantity (BOQ)				
S.No.	Description of Items	Unit	Qty	Rate in figures in Rs.	Rate in words in Rs.	Amount in Rs.
11	Steel work welded in built up					
	section/framed work including cutting,					
	hoisting, fixing in position and applying					
	primer coat of approved steel primer for					
	making of base frame of Laboratory tables					
	etc.					
	section 25mm x 25mm,					
	section 50mm x 50mm or Sections as per					
	requirement	Kg	8463.6			
12	Stainless Steel (Grade 304) work welded in					
	built up section/framed work including					
	cutting, hoisting, fixing in position for					
	making of base frame of Laboratory tables					
	etc.					
	section 25mm x 25mm,					
	section 50mm x 50mm or Sections as per					
	requirement	Kg	1432.8			
13	Providing and Fixing bright finished brass					
	handles with screws etc. completely:					
a	Furniture handle	each	4330			

		Bill of Quantity (BOQ)				
S.No.	Description of Items	Unit	Qty	Rate in figures in Rs.	Rate in words in Rs.	Amount in Rs.
14						
	P/F white marker board having MS backing					
	of approved quality i/c magnetic duster, set					
	of pens and magnetic pointers all complete					
	as per the direction of Engineer in charge.	Sqm	43.2			
15	P/F special quality bright finished brass					
	cupboard or ward robe locks with 4 levers					
	i/c necessary screws etc. complete (best					
	make of approved quality) Harrison/ Plaza/					
	Godrej make 40mm.	Each	2630			
16	Painting with synthetic enamel paint of					
10	approved brand and manufacture of					
	required colour to give an even shade:					
a	Two or more coats of new work over an					
	under coat of suitable shade with ordinary					
	paint of approved and manufacture	sqm	6427.02			
17	D :1: 0 C : C 1:1 110 4:1					
17	Providing & fixing of polished 18mm thick					
	Granite work top over 6mm thick ply with					
	arelite etc. complete as per drawing,					
	design, specification as per direction of					
	Engineer in charge.					

			Bill of Qua	antity (BOQ)		
S.No.	Description of Items	Unit	Qty	Rate in figures in Rs.	Rate in words in Rs.	Amount in Rs.
	18mm th. Granite	Sqm	879.21			
18	Providing edge moulding to 18mm th counters, vanities etc. including machine polishing to edge to give high glow finish etc. complete as per design approved by Engineer in charge					
a	Granite work	Rm	1175.28			
19	Extra for providing opening of required size and shape for wash basin/ kitchen sink in kitchen plateform, vanity counter and similar location in granite including necessary holes for pillar taps etc. including moulding, rubbing and polishing of cut edges etc. complete.	Each	158			
20	P/F decorative high pressure laminated sheet of plain/ wood grain in gloss/ matt/ suded finish with high density protective surface layer and reserve side of adhesive bonding quality confirming to IS: 2046 Type, including cost of adhesive of approved quality.					

			Bill of Qua	ntity (BOQ)		
S.No.	Description of Items	Unit	Qty	Rate in figures in Rs.	Rate in words in Rs.	Amount in Rs.
	1mm th.	Sqm	6427.02			
21	P/F glazing in door, windows, ventilator,					
	shutter and partation etc. with EPDM					
	rubber/ neoprene gasket etc. complete as					
	per drawing and the direction of Engineer					
	in charge (cost of aluminium snap beading					
	shall be paid beading shall be paid in basic					
	items)					
	with float glass panes of 5.0 mm th.	Sqm	81.6			
22	P/F 12mm th. Pre laminated particle board					
	flat pressed three layer or graded wood					
	particle board in panelling fixed in					
	aluminium doors, window shutters and					
	partation frames with CP brass/ stainless					
	steel screws etc. complete as per					
	architectural drawings and directions of					
	engineer in charge.					
	Prelaminated particle board with decorative					
	lamination on both sides, Grade-I, Type II,					
	IS:12823 marked	Sqm	77.76			
23	High Back Revolving Chair					

S.No.	Description of Items	Unit	Qty	Rate in figures in Rs.	Rate in words in Rs.	Amount in Rs.
	Uphoisty/ Frame: 12mm hot pressed ply in seat and back with PU moulded foam and fabric uphhoistry with PVC lipping all around. Seat and back size: 480mm(w)x 440mm(D), 480mm(w)x 720mm(H); Arms: Steel inserted PU arms; Mechanism: Central tilt mechanism; Height adjustment: Gas Lift; Base: Steel inserted nylon base with twin wheel castors.	Each	25			
	With twill wheel custors.	Euch				
24	Medium Back Revolving Chair					
	Uphoisty/ Frame: 12mm hot pressed ply in seat and back with PU moulded foam and fabric and PVC lipping all around. Seat and back size: 480mm(w)x 440mm(D), 480mm(w)x 460mm(H); Arms: Y shape PVC arm; Mechanism: Central tilt mechanism; Height adjustment: Gas Lift; Base: Steel inserted nylon base with twin wheel castors.	Each	190			
25	Visitor Chair					

		Bill of Quantity (BOQ)				
S.No.	Description of Items	Unit	Qty	Rate in figures in Rs.	Rate in words in Rs.	Amount in Rs.
	H.1.:4/F. 12 1.4					
	Uphoisty/ Frame: 12mm hot pressed ply in					
	seat and back with PU moulded foam and					
	fabric and PVC lipping all around. Seat and					
	back size: 480mm(w)x 440mm(D),					
	480mm(w)x 460mm(H); Arms: Steel					
	inserted PU arms; Base: Steel inserted					
	nylon base with twin wheel castors.	Each	249			
26	Desklet Chair					
	Half desk chair made of 25mm CRCA pipe					
	frame 'S' shape with 12mm moulded ply					
	with moulded PU foam in seat & back with					
	PVC lipping. Half writing board is made up					
	of 18mm prelaminated particle board with					
	edge sealed with 2mm PVC edge banded					
	tape. The chair is provided with wire mesh					
	tray at bottom duly powder coated.	Each	345			
	tray at bottom dury powder coated.	Lacii	343			
27	Multiseater Chair					

			Bill of Qua	entity (BOQ)		
S.No.	Description of Items	Unit	Qty	Rate in figures in Rs.	Rate in words in Rs.	Amount in Rs.
	Triple seater multiseater chair with					
	perforated metal sheet duly powder coated					
	with arms in capsule pipe, side in 2" round					
	pipe and bottom support in 3"x1/2" in 14					
	gauge.	Each	46			
28	Lab Stool					
	Lab Stool revoving type without back with					
	steel fixed base with shoes. The seat is					
	covered with latheriate/ fabric uphoistery.	Each	446			
29	SOFA					
	Wooden sofa: Fully upholstered sofa with					
	good quality seasoned wood duly anti					
	termite treated . In seat, good quality flat					
	spring steel are used and are covered by					
	"U" foam. Seat cushion has premium					
	quality rubber. The back is made of high					
	density foam duly upholstered with fabric or leatherite. The armrest are made of					
	seasoned teakwood duly spirit polish SOFA - 3 Seater	Each	5			
a	SOFA - 3 Scattl	Lacii	3			

Subje	ct : Supply, installation, testing & commis	sioning of C	Office Furniture & associated miscell	laneous works like minor civi	l, electrical, PHE works	
etc. for P C Teaching Block at AIIMS, Ansari Nagar, New Delhi						

			Bill of Qua	entity (BOQ)		
S.No.	Description of Items	Unit	Qty	Rate in figures in Rs.	Rate in words in Rs.	Amount in Rs.
b	SOFA - 2 Seater	Each	20			
•						
30	Center Table					
	Providing and supplying center table with					
	top made of 12mm thick beveled glass and					
	understructure with a shelf is made of					
	18mm thick commericial board having					
	0.8mm thick laminate of approved make,					
	colour and design with all exposed edges					
	sealed with 2mm PVC edge banding tape					
	and unexposed edges sealed with 0.6mm					
	PVC edge banding tape pressed at 200o C					
	with hot melt glue on special mechanics					
	900 x 450 x 450mm	Each	25			
31	SIDE TABLE					

		Bill of Quantity (BOQ)				
S.No.	Description of Items	Unit	Qty	Rate in figures in Rs.	Rate in words in Rs.	Amount in Rs.
	Providing and Suppluing table with top					
	made of 12mm thick beveled glass and					
	understructure with a shelf is made 18mm					
	thick commericial block board having					
	0.8mm thick laminate of approved make,					
	colour and design with all exposed edges					
	sealed with 2mm PVC edge banding tape					
	and unexposed edges sealed with 0.6mm					
	PVC edge banding tape pressed at 200o C					
	with hot melt glue on special mechanics					
	900 x 450 x 450mm	Each	30			
32	P/F CP brass extension nipple for sanitary					
	fittings as per direction of Engineer in					
	charge	Each	75			
33	P/F CP brass caps for bib cock/ angle valve					
	etc for sanitary fittings as per direction of					
	Engineer in charge	Each	158			
34	P/F CP brass bottle trap for wash basin and					
	sink of make Parko/ Kingston/ Jaguar/					
	Vijay - 32mm dia waste.	Each	158			

		Bill of Quantity (BOQ)				
S.No.	Description of Items	Unit	Qty	Rate in figures in Rs.	Rate in words in Rs.	Amount in Rs.
35	P/F CP brass close hole basin mixer piller					
	top of approved quality and make of Parko/					
	Kingston/ Jaguar/ Vijay - 15mm nominal					
	bore of standrad back type	Each	158			
36						
	P/F CP brass long body bib cock of					
	approved quality confirming to IS standard					
	and weight not less than 690 gms					
	15mm nominal bore	Each	158			
37	P/F white viterous china Lab Sink with CI					
	brackets, CP brass chain with rubber plug,					
	40mm CP brass waste and 40mm CP brass					
	trap with necessary CP brass unions					
	complete, including painting of fittings and					
	brackets, cutting and making good the wall					
	wherever required					
a	Size 600x450x200mm	each	158			

			Bill of Qua	entity (BOQ)		
S.No.	Description of Items	Unit	Qty	Rate in figures in Rs.	Rate in words in Rs.	Amount in Rs.
38	P/F Stainless steel A ISI 304 (18/8) kitchen					
	sink as IS:13983 with CI bracket and					
	stainless steel plug 40mm, including					
	painting of fittings and brackets, cutting					
	and making good the wall wherever					
	required					
	Kitchen sink without drain board					
	610x510mm bowl depth 200mm	Each	10			
	P/F Stainless steel A ISI 304 (18/8) kitchen					
	sink as IS:13983 with CI bracket and					
	stainless steel plug 40mm, including					
	painting of fittings and brackets, cutting					
	and making good the wall wherever					
	required					
	Kitchen sink with drain board					
	510x1040mm bowl depth 250mm	Each	10			

			Bill of Quantity (BOQ)			
S.No.	Description of Items	Unit	Qty	Rate in figures in Rs.	Rate in words in Rs.	Amount in Rs.
38	FUME HOOD					
	P/F of Fume Hood Autobypass bench					
	type(For Non AC Labs)					
	Material Construction: Exterior Structure					
	made of 1.2 mm heavy duty CRCA sheets					
	with powder coating thickness of 50 to 60					
	microns with rigid structure. Inner					
	Structure is made of durable special					
	material integral work walls of 6mm					
	thickness which is chemical, heat resistant					
	and fire retardant. Worktop is made up of					
	18mm thick 'Jet Black Granite'. Worktop					
	has oval shaped 100mm x 200mm sink for					
	drainage with water tap on the left side.					
	Vertical Type Sash is made up of 4mm					
	thick safety glass for smooth and light sash					
	operation. Fluorescent light (20 watt, 2Nos)					
	with vapour-proof fitting for proper					
	illumination, two nos. electrical.					

•	ubject : Supply, installation, testing & commissioning of Office Furniture & associated miscellaneous works like minor civil, electrical, PHE work tc. for P C Teaching Block at AIIMS, Ansari Nagar, New Delhi								
tc. 10	or PC Teaching Block at AIIMS, Ansari N	agar, Nev	w Delni						
	BOQ item description shall be read in conj to include all works/ requirements specific		technical spec	_		and their quoted rates sha			
.No.	Description of Items	Unit	Qty	Rate in figures in Rs.	Rate in words in Rs.	Amount in Rs.			
	sockets 'Northwest' make (230 V, 6/16 A, 50 Hz), Two nos. 'Northwest' make MCBs with blower NO/NC switch (with built in starter) & light switch on front facia are provided.			5					
a)	5 Feet of overall size 1500(W) x 1000(D) x 1600(H)	each	(5					
39	Apparatus Storage Base Cabinet P/F of Apparatus Base cabinet for fume hood having following features: 1. Complete rigid steel structure to support Fume Hood 2. Epoxy powder coated attractive colour combination. 3. Two adjustable horizontal partitions to store apparatus. 4. Double skin hinged doors. 5. Fully openable back panels for service line access.								
	5 Feet of overall size 1500(W) x 700(D) x 700(H)	each	6						

			ew Delhi			
The B	SOQ item description shall be read in conju	untion w	ith the technic	al specifications, Condi	tions of Contract (Vol-II)	and their quoted rates sha
leem	to include all works/ requirements specific	ed in the		ifications & Conditions antity (BOQ)	of Contract (Vol-II) etc.	
S No	Description of Items	Unit	Qty	Rate in figures in Rs.	Rate in words in Rs.	Amount in Rs.
	Blower (1 HP)	Unit	Qty	Rate in figures in Rs.	Rate in words in Rs.	Amount in Ks.
70	P/F Blower as per specifications &					
	direction of Engineer In charge:					
		each	6			
41	Ducting for Fume Hood					
	P/F Ducting consisting of chemical					
	resistant PP. 2.5kg rigid & flexible ductwork					
	from Fume hood to exhaust stack. Total ducting is					
	provided with horizontal, vertical members, flanges, bends, bracketed supports and gooseneck exhaust					
		Rft	300			
		-				
	m					
	Total					
	Discount, if any to be indicated here only					
	= =====, = unit to ze muncuted note only					