MINISTRY OF EXTERNAL AFFAIRS (GOVT. OF INDIA)

DISTRICT GENERAL HOSPITAL, DIKOYA SRI LANKA

Tender

for

Supply Installation Testing & Commissioning of CSSD Equipments at District General Hospital, Dikoya, Sri Lanka

VOLUME - V

PRICE BID

October 2013



(Consultants & Engineers for Mega Hospitals & Laboratories) E - 6 (A), Sector - I, NOIDA (U.P.) - 201 301 (INDIA)

PHONE : 91-2542436, 2542440 FAX : 91-11-91-2542447 91-2542443, 2542445 E- mail : www.hsccltd.co.in

Tender No. HSCC/PUR/MEA-SRILANKA/2013/2

| BILL OF QUANTITIES | | | | | | | |
|--------------------|--|-----------|----------|-------------------------------------|------------------------------|----------------------------------|--|
| Part-I | | | | | | | |
| | Package - Supply, installation & commissioning of CSSD EQUIPMENTS and one (1) year Defect liability period | | | | | | |
| Item No. | Description 2 | Unit 3 | Qty 4 | Unit Rate In Rs (in Figure) 5 | Unit Rate in Rs (in Words) 6 | Amount (Rs.) (In Figure) 7 | |
| | The prices are to be quoted in the below mentioned form and shall include the supply, installation, testing, commissioning & warranty at site of all the equipments, ancillary materials as specified and all such items what so ever which may be required to fulfill the intent and purpose as laid down in the specifications and or the drawings. The tenderer shall quote rates in figures and in words under column 5&6 and extend amount to column 7 | | | | | | |
| 1.0 | Double Door Autoclave (Horizontal Rectangular Steam Sterilizer) (As per IS-3829) Size 450mm (W) x 450mm (H) x 900 (Depth). Details as per technical specification. | Nos | 2 | | | | |
| 2.0 | Ethylene Oxide Sterilizer (ETO) Size 18" x 18" x 24" Chamber Volume 120 Litres. Working Volume 5 Cu.Ft. / 133 Ltr. Details as per technical specification. | Nos | 1 | | | | |
| 3.0 | Washer Disinfector Size of chamber: 600mm x 700mm x 700mm. (Approx.) Chamber volume: 250 – 275 liters. Overall dimension: 815mm W x 730mm L x 1890mm H. Details as per technical specification. | Nos | 1 | | | | |
| 4.0 | Heat Sealing Machine Width: up to 10 mm Sealing Speed: 3 -4meter / minute Details as per technical specification. | Nos | 1 | | | | |
| 5.0 | Drying Cabinet Chamber Volume: 150 Liters approx. Operation : Automatic Details as per technical specification. | Nos | 1 | | | | |
| 6.0 | Ultrasonic Cleaner Frequency of operation 40 kHz +/- 3 kHz Transducers Tank Clear Size. 30" x 18" x 18" (L x W x H) Tank Capacity 30 Liters Details as per technical specification. | Nos | 1 | | | | |

| Item No. | Description 2 | Unit 3 | Qty 4 | Unit Rate In Rs (in Figure) 5 | Unit Rate in Rs (in Words) 6 | Amount (Rs.) (In Figure) 7 |
|-------------|--|-----------|----------|-------------------------------------|------------------------------|----------------------------------|
| | Gauze Cutting Machine Blade size : 200 mm Cutting Capacity: 165 mm Details as per technical specification. | Nos | 1 | | | |
| | Storage Racks Stainless steel 304 storage Rack with five shelves (Open type), Overall dimensions: 1800mm L x 600mm W x 1800mm H. Details as per technical specification. | Nos | 5 | | | |
| | Distribution Trolleys Internal size – 1100mm x 500mm x 1400mm. External size – 1200 x 600 x 1700mm. No. of shelves – 2 nos. Good quality 4 Nos. castor wheels Details as per technical specification. | Nos | 5 | | | |
| | Work Table with Sink Stainless steel work table with double sink unit with hot water, cold water and air, Bench top dimension: 2400mm L x 650mm W x 900mm Ht. Size of sink: 500mm x 400mm x 200mm. Details as per technical specification. | Nos | 2 | | | |
| | Transfer Baskets Basket made of corrosion resistant SS wire with welded joints Basket made of corrosion resistant SS wire with welded joints, Dimensions -385mm length x 395mm width x 95mm height. Details as per technical specification. | Nos | 10 | | | |
| 12.0 | Work Table Stainless steel SS 304 quality table with drawer, Over all size – 1800mm x 700mm x 1400mm. | Nos | 2 | | | |
| | Glove Examiner Stainless Steel 304 body complete with nylon gloves holder, air compressor, tank, pressure switches and accessories. Size-1200 L x 640 W x 1000 H Details as per technical specification. | Nos | 1 | | | |
| | Glove Washer cum drier cum powderer Construction of SS-304 covered with SS covers.• Electrical heater, blower and ducting provided within the outer casing Details as per technical specification. | Nos | 1 | | | |
| | Storage Cabinets Two Door Opening Overall dimensions: 1800mm L x 600mm W x 1800mm H. Details as per technical specification. | Nos | 2 | | | |

| 16.0 | Rapid Sterilizer (Table Top) Table Top Sterilizer provides fully automatic sterilizing, exhaust of water and steam drying. Full stainless steel construction. Capacity: 16 Ltr. (230 x 400mm) | | | | | | |
|------------------|---|-----------|----------|-------------------------------------|-----------------|---------------|----------------------------------|
| | Details as per technical specification. | Nos. | 2 | | | | |
| 17.0 | Electric Distributional Panel Details as per technical specification. | Nos | 1 | | | | |
| 18.0 | Turnkey work complete as required with all accessories as | | | | | | |
| | per specification | lot | 1 | | | | |
| | | | | | | SUB TOTAL Rs. | |
| | Part-II | | | | | | |
| Item No. | Description 2 | Unit 3 | Qty 4 | Unit Rate In Rs (in Figure) 5 | Unit Rate in Rs | (in Words) | Amount (Rs.) (In Figure) 7 |
| 1.0 | Comprehensive Maintenance Charges for the complete CSSD including spares, repair or replacement of defective equipments/parts,accessories, labour charges etc. complete in all respect after completion of Defect Liability Period as per the contract. | | | | | | |
| | lst Year | Job | 1 | | | | |
| | 2nd Year | Job | 1 | | | | |
| | 3rd Year | Job | 1 | | | | |
| | | | | | | SUB TOTAL Rs. | |
| | SUMMARY OF RATES QUOTED | | | | | | |
| 1 | TOTAL (PART-I) | | | | | | |
| 2 | TOTAL (PART-II) | | | | | | |
| Grand 1 | otal Amount (PART - I + PART - II) (in Figures) :- | | | | | | |
| In words: Rupees | | | | | | | |

Date

Signature of Bidder Name of Bidder Seal of the Bidder

Note

- 1 The above format of Bill of Quantity(BOQ) should be neatly hand written.
- 2 The BOQ in any other format other than the aboveformat or typed written shall be rejected.
- 3 The above quoted rates will be inclusive of all taxes, duties and other charges.
- 4 Cost of CMC will be added for ranking purpose
- 5 Cutting and overwriting should be avoided. Correction should be countersigned always.
- 6 Incase any error between Unit rate in figure and unit rate in words, the unit rate in words shall prevail