

**MINISTRY OF HEALTH & FAMILY WELFARE
(GOVT. OF INDIA)**

ALL INDIA INSTITUTE OF AYURVEDA (AIIA), NEW DELHI

Tender

for

**Supply, Installation, Testing & Commissioning of Kitchen
Equipments at All India Institute of Ayurveda (AIIA), Sarita Vihar,
New Delhi**

VOLUME – IV

BILL OF QUANTITIES (BOQ)

April 2014



(Consultants & Engineers for Mega Hospitals & Laboratories)
E - 6 (A), Sector - I, NOIDA (U.P.) - 201 301 (INDIA)

PHONE : 91-2542436, 2542440 FAX : 91-11-91-2542447
91-2542443, 2542445 E- mail : www.hsccltd.co.in

Tender No. HSCC/SES/AIIA/Kitchen/2014

BILL OF QUANTITIES														
Part-I														
Package - Supply, installation & commissioning of Kitchen with 2 year Defect Liability period														
Sl.No.	Item Description	1	Specifications	2	Size/Unit	3	Qty.	4	Unit Rate in Rs. (in Figure)	5	Unit Rate in Rs. (in words)	6	Amount in Rs. (In Figure)	7
			RECEIVING AREA											
1	SS Platform Rack.		The entire rack is made of 18 on tiny tubular legs with adjustable bullet feet. Also fitted with cross bearing channel beneath to hold the Sacks.		1300 x 600 x 250		1							
2	SS Big Bowl Sink Unit.		Top of 16 sg. SS sheet on S.S. Angle frame work on S.S squarelegs with adjustable bullet feet for uneven floors. Also fitted with a large sink on RHS. Also fitted with a back splash and under shelf. The top is fitted with stud welded bolts with the frame for sturdy and stronger grip. The bowl size 1200x500x250		1500 x 650 x 850 + 150 spl.		1							
3	Weighing Scale.(Electronic)		I.S.I. marked. The supplier has to provide the permit from Weights & Measures dept. (Digital Display)		300 Kg		1							
			COLD ROOM & DRY STORE											
4	Dunnage Rack		Dunnage Rack (Sintax/Neelkamal)		1200 x 600		4							
5	SS Platform Rack		Same as sl.no.1		1200 x 800 x 250		4							
6	Onion / Potato Bin		The entire bin is made of 18 swg. S.S. Sheet on heavy duty castor wheels. Also fitted with top opening lids and doors beneath to extract onion / potato.		1000 x 600 x 1000		1							
7	4 Door Vertical Refrigerator.		Double walled puff insulated all SS sheet body on tiny tubular legs with adjustable bullet feet. Fitted with Emerson/ Tecumseh make condensing unit on top with auto temperature controller and indicating lamps and SS detachable hinges to keep the detachable wire meshed trays for storage with lockable SS doors. Also Fitted with a detachable drip tray beneath		1000 Ltrs.		1							
8	SS Storage Rack with SS Uprights		All five shelves are made of 18 swg. SS sheet on 4 nos round / square legs with adjustable bullet feet. All the shelves are having "C" channel through to accommodate maximum load bearing ability.		1200 x 450 x 1800		11							

9	SS Storage Rack with SS Uprights	SS Storage Rack with SS Uprights Same as sl.no.10	1350 x 450 x 1800	1		
10	Platform Trolley.	The entire trolley is made of 18 swg. S.S. Sheet on heavy duty castor wheels. Fitted with a push cart type handle and cushion guard in front to prevent any damage during operation.	800 x 500 x 900	3		
11	Cold Room	Temperature -0 to 4 degree centigrade Insulation: Panels 60mm thick PU at 40-42kg density,PCGI exposed exterior 0.5mm thick sheet,PCGI exposed exterior 0.5mm thick sheet, PCGI interior 0.5mm thick sheet, floor interior and exterior of 0.5mm thick PCGI exposed sheet, Ceiling exterior PCGI, interior PCGI Sheet 0.5mm.Vertical,Panels Joint with Cam lock coupling in Tongue & Groove arrangement. Details as per technical specification.	2800 x 2500 x 2400	1		
VEG. PREPARATION AREA						
12	SS Single Bowl Sink unit R.H.S	Top of 16 sg. SS sheet on S.S. Angle frame work on S.S tubular legs 1¼" side/dia. with adjustable bullet feet for uneven floors. Also fitted with a large sink on RHS. Also fitted with a back splash and under shelf. The top is fitted with stud welded bolts with the frame for sturdy and stronger grip. The bowl size 500x500x250	1460 x 650 x 850 + 150	1		
13	SS Wall Shelf	The entire shelf is made of 18 swg. S.S. Sheet and fastened on wall with S.S. fasteners.	1460 x 300	1		
14	SS Work Table with 1 No U/S.	Top of 16 swg. SS sheet on MS Angle frame work on S.S tubular legs 1¼" side/dia with adjustable bullet feet for uneven floors.. Also fitted with a back splash and under shelf. The top is fitted with stud welded bolts with the frame for sturdy and stronger grip	810 x 650 x 850 + 150 spl.	1		
15	SS Wall Shelf	The entire shelf is made of 18 swg. S.S. Sheet and fastened on wall with S.S. fasteners.	810 x 300	1		
16	SS stand for Chopping blocks with boards	S.S-304 sheet body to hold poly carbonate Chopping Boards	650x650x850	2		
17	SS Wall Shelf	The entire shelf is made of 18 swg. S.S. Sheet and fastened on wall with S.S. fasteners.	1500 x 300	1		

18	SS Wall Shelf	The entire shelf is made of 18 swg. S.S. Sheet and fastened on wall with S.S. fasteners.	1350 x 300	1		
19	Veg Cutter Machine	Continuous flow cutting machine is made of aluminum casting on tiny tubular legs with adjustable bullet feet. Fitted with gravity hopper and 4 SS blades for slicing chopping and dicing and a heavy duty motor Options are there for blades for julienne, French fries etc.	100 Kg/hr	1		
20	SS Work Table with 1 No U/S.	Top of 16 swg. SS sheet on MS Angle frame work on S.S tubular legs 1/4" side/dia with adjustable bullet feet for uneven floors. Also fitted with a back splash and under shelf. The top is fitted with stud welded bolts with the frame for sturdy and stronger grip	1200 x 650 x 850 + 150 spl.	1		
21	SS Wall Shelf	The entire shelf is made of 18 swg. S.S. Sheet and fastened on wall with S.S. fasteners.	1200 x 300	1		
22	SS Work Table with 1 No U/S.	Top of 16 swg. SS sheet on MS Angle frame work on S.S tubular legs 1/4" side/dia with adjustable bullet feet for uneven floors.. Also fitted with a back splash and under shelf. The top is fitted with stud welded bolts with the frame for sturdy and stronger grip	1400 x 650 x 850 + 150	1		
23	SS Wall Shelf	The entire shelf is made of 18 swg. S.S. Sheet and fastened on wall with S.S. fasteners.	1400 x 300	1		
24	Garbage Cart	Moulded Plastic container with 2 Nos-Big castor wheel. Garbage cart should be set to keep vertically upright on its base complete with accessories as per specification.	100L	4		
STAFF CANTEEN						
25	SS Work Table with 1 No U/S.	Top of 16 swg. SS sheet on MS Angle frame work on S.S tubular legs 1/4" side/dia with adjustable bullet feet for uneven floors.. Also fitted with a back splash and under shelf. The top is fitted with stud welded bolts with the frame for sturdy and stronger grip	1450 x 650 x 850 + 150 spl.	1		
26	Microwave Oven	Microwave Oven IFB/Equivalent	15 L	2		
27	SS Wall Shelf	The entire shelf is made of 18 swg. S.S. Sheet and fastened on wall with S.S. fasteners.	1450 x 300	1		

28	SS Single Bowl Sink unit (R.H.S)	Top of 16 sg. SS sheet on S.S. Angle frame work on S.S tubular legs 1¼" side/dia. with adjustable bullet feet for uneven floors. Also fitted with a large sink on RHS. Also fitted with a back splash and under shelf. The top is fitted with stud welded bolts with the frame for sturdy and stronger grip. The bowl size 500x500x250	1500 x 650 x 850 + 150 spl.	1		
29	SS Wall Shelf	The entire shelf is made of 18 swg. S.S. Sheet and fastened on wall with S.S. fasteners.	1500 x 300	1		
30	4 Door Vertical refrigerator.	Double walled puff insulated all SS sheet body on tiny tubular legs with adjustable bullet feet. Fitted with Emerson/ Tecumseh make condensing unit on top with auto temperature controller and indicating lamps and SS detachable hinges to keep the detachable wire meshed trays for storage with lockable SS doors. Also Fitted with a detachable drip tray beneath.	1000 Ltrs.	1		
31	Citrus Juicer.	The juicer to have on line separator for citrus fruits.		1		
32	Blender	The heavy duty hand held S.S. blender to have the capacity of blending & whipping of more than three liters at one time.		1		
33	SS Wall Shelf	The entire shelf is made of 18 swg. S.S. Sheet and fastened on wall with S.S. fasteners.	1750 x 300	1		
34	SS Work Table with 1 No U/S.	Top of 16 swg. SS sheet on MS Angle frame work on S.S tubular legs 1¼" side/dia with adjustable bullet feet for uneven floors.. Also fitted with a back splash and under shelf. The top is fitted with stud welded bolts with the frame for sturdy and stronger grip	1700 x 650 x 850 + 150 spl.	1		
35	SS Wall Shelf	The entire shelf is made of 18 swg. S.S. Sheet and fastened on wall with S.S. fasteners.	1700 x 300	1		
36	Sandwich Griller	The heavy duty grilling plates are fitted on S.S. tops on tiny legs. Fitted with 3.0 KW heating element with each unit with individual auto temp. controller and indicating lamps. Also fitted with insulated handles on each grillers to extract the contents.	Double	1		

37	Tea/Coffee Dispenser	Double walled mineral wool insulated all SS sheet body on tiny tubular legs. The inner tank is spitted in two parts-one for 25 liters water & another for 5 lits. milk with heavy duty individual gun metal faucet and water level indicator. Fitted with 3.0 kw immersion type heating element with auto temp. controller and indicating lamps. Also fitted with a detachable drip tray	150 cups/hr	1		
38	Dosa Plate	Top of 16 mm thick M.S plate on S.S Angle frame work on S.S. Square legs with adjustable bullet feet. Fitted with heavy duty R.V burner with pilot lamp and individual control valves. Also fitted with splash on three sides and a water through in front and a detachable grease collection drip tray and a bottom shelf.	1000 x 600 x 850	1		
39	SS Side Work Table with 1 No. U/s.	Top of 16 swg. SS sheet on MS Angle frame work on S.S tubular legs 1¼" side/dia with adjustable bullet feet for uneven floors.. Also fitted with a back splash and under shelf. The top is fitted with stud welded bolts with the frame for sturdy and stronger grip	600 x 600 x 650 + 50 Spl.	1		
40	Idli Steamer	Doubled walled mineral wool insulated all SS sheet body on tiny tubular legs with adjustable bullet feet. Fitted with two nos immersion type heating element of 3.0 KW each with individual auto temperature controller and indicating lamps and SS hinges inside to keep detachable idli trays. Also fitted with water inlet, outlet valves and water level indicator. A front opening insulated door is fitted at the service side.	120 Idlis	1		
41	SS. Exhaust Hood with SS Filters (Wall type)	Entire exhaust is made of 20 swg.S.S-304 Sheet with S.S-304 baffle filters. Fitted with grease collection tray and hung with metal fasteners.	1800 x 750 x 600	1		
42	Chopping Block	S.S-304 sheet body to hold poly carbonate Chopping Boards	650 x 650 x 850	2		
43	Dough Kneader	The heavy duty SS rotating drum is fitted with heavy duty MS stand & base, duty rust proof painted. Also fitted with heavy duty SS arm to mix the dough and duly connected to heavy duty motor.	25 Kg	1		

44	Chapati Plate Cum Puffer on on (Right -1No & Left - 1 No)	Top of 16 mm thick M.S plate on S.S Angle frame work on S.S. square legs with adjustable bullet feet. Fitted with heavy duty R.V. Burner with pilot lamp with individual control valves. Also fitted with a puffer on right hand side and a bottom shelf.	1200 x 600 x 850	2		
45	SS. Exhaust Hood with SS Filters Island type	Entire exhaust is made of 20 swg.S.S-304 Sheet with S.S-304 baffle filters. Fitted with grease collection tray and hung with metal fasteners.	1350 x 750 x 500	1		
46	Chapati Collection Trolley	Sunken top of 18 swg S. S. sheet body on square legs on castor wheels. Also provided with a bottom shelf.	750x600x850	2		
47	SS Chapati Roling Table with Marble Top & U/s on Castors.	Marble top rolling table is fitted on S.S. angle on S.S. square legs with adjustable bullet feet. Also fitted with a bottom shelf.	1200 x 600 x 850	2		
48	Tilting Boiling Pans	Double walled mineral wool insulated all SS sheet body is fitted with heavy duty SS tubular legs. Fitted with high pressure burner and pilot lamp with individual control valves, tilting gear to extract the boiled/cooked food, water inlet valve and gun metal faucet and SS perforated detachable bottom shelf. A top opening spring loaded lid with insulated handle is also fitted.	80 Liters	1		
49	Tilting Frying /Brazing Pans	Double walled mineral wool insulated all S.S-304sheet body on heavy duty tubular legs with adjustable bullet feet. Fitted with heavy duty burner with pilot lamp with individual control needle valve. Fitted with tilting gear to extract contents after cooking & water inlet valve. Also fitted with top opening lid with insulated handle.	80 Liters	1		
50	Single Burner Gas Range.(High Pressure) Stock Pot	Top of 16 swg. SS Sheet on S.S Angle frame work on S. S. Square legs with adjustable bullet feet for uneven floors. Fitted with United/Sarna make heavy duty burner with pilot lamps with individual control valves and heavy duty cast iron pan support.	750 x 750 x 650	1		

51	SS Side Work Table with 1 No. U/s.	Top of 16 swg. SS sheet on MS Angle frame work on S.S tubular legs 1¼" side/dia with adjustable bullet feet for uneven floors.. Also fitted with a back splash and under shelf. The top is fitted with stud welded bolts with the frame for sturdy and stronger grip	750 x 750 x 650 + 50 Spl.	1		
52	4 Burner Gas Range with Oven Below	Top of 16 swg. SS Sheet on M.S Angle frame work on SS Square legs with adjustable bullet feet for uneven floors. Fitted with United/Sarna make heavy duty burner with pilot lamps with individual control valves and heavy duty cast iron pan support. Also fitted with an electrically operated oven beneath.	950 x 950 x 850 + 150 Spl.	1		
53	SS. Exhaust Hood with SS Filters (I-Land type)	Entire exhaust is made of 20 swg.S.S-304 Sheet with S.S-304 baffle filters. Fitted with grease collection tray and hung with metal fasteners from ceiling.	3500 x 2500 x 500	1		
54	BISI Cooler	Glass cover at the front door Make-Blue Star/Cellsrost/Euronova/Allanpro	600 Ltrs	2		
55	SS Bain Marie Counter with Sneeze Guard.	Miner wool insulated top of all SS sheet body on tubular legs with adjustable bullet feet. The tank is spitted in two parts-one part to keep hot food with 3 nos GN pans & other one to have ambient/cold food with 2 GN pans of 1/2x150mm fitted with 2nos immersion type heating element of 2.0 kw each with auto temp. Controller & indicating lamps. Also fitted with water inlet, outlet & overflow valves. The entire unit is covered in three sides and fitted with a tray slide in front and an under shelf beneath.	2200 x 675 x 850 + 450	2		
56	Garbage Cart	Moulded Plastic container with 2 Nos-Big castor wheel. Garbage cart should be set to keep vertically upright on its base complete with accessories as per specification.	100 L	6		
		WET AREA				
57	Wet Masala Grinder (Tilting Type)	The heavy duty SS rotating drum on SS covering on MS angle frame work duly rust proof painted, is fitted with heavy duty motor with a crushing stone duly fitted in drum with SS tubular leg. Also fitted with a rotating gear to extract the contents after grinding.	10 Ltrs.	2		

58	Onion / Potato Peeler (Imported)	The heavy duty peeling drum is made of 18 swg. SS sheet on three nos tiny legs with adjustable bullet feet and a rotating disc of SS sheet being connected with heavy duty motor of 2 HP single/three phase. Also pasted with emery granules inside the drum and on rotating disc to peel and fitted with water inlet valve and aluminum casting/SS sheet our pour to extract peeled potatoes.	10 Kg.	1			
59	Pulverizer	The continuous flow pulverizer is made of SS gravity hopper on SS covering on MS angle frame work duly rust proof painted on adjustable bullet feet. Also fitted with a heavy duty motor with S.S. outpour and 5 blades of different sizes. The heavy duty machine can grind both dry and wet.	8 to 10 Kg.	1			

		MAIN COOKING AREA					
60	Tilting Boiling Pans	Double walled mineral wool insulated all SS sheet body is fitted with heavy duty SS tubular legs. Fitted with high pressure burner and pilot lamp with individual control valves, tilting gear to extract the boiled/cooked food, water inlet valve and gun metal faucet and SS perforated detachable bottom shelf. A top opening spring loaded lid with insulated handle is also fitted.	80 Liters	2			
61	Tilting Frying /Brazing Pans	Double walled mineral wool insulated all S.S-304sheet body on heavy duty tubular legs with adjustable bullet feet. Fitted with heavy duty	80 Liters	1			
62	SS. Exhaust Hood with SS Filters	The entire hood is made of 18 swg. S.S. Sheet with S.S. baffle filter and being hung on wall with wall fasteners.	4720 x 1150 x 500	1			
63	Single Burner Gas Range.(High Pressure)	Top of 16 swg. SS Sheet on S.S Angle frame work on S. S. Square legs with adjustable bullet feet for uneven floors. Fitted with United/Sarna make heavy duty burner with pilot lamps with individual control valves and heavy duty cast iron pan support.	750 x 750 x 650	4			
64	SS. Exhaust Hood with SS Filters	Entire exhaust is made of 20 swg.S.S-304 Sheet with S.S-304 baffle filters. Fitted with grease collection tray and hung with metal fasteners.	1600 x 950 x 500	1			
65	SS Side Work Table with 1 No. U/s.	Top of 16 swg. SS sheet on MS Angle frame work on S.S tubular legs 1¼" side/dia with adjustable bullet feet for uneven floors.. Also fitted with a back splash and under shelf. The top is fitted with stud welded bolts with the frame for sturdy and stronger grip	750 x 750 x 650 + 50 Spl.	1			
66	Chapati Plate Cum Puffer on (right -1 No & Left -1 No)	Top of 16 mm thick M.S plate on S.S Angle frame work on S.S. square legs with adjustable bullet feet. Fitted with heavy duty R.V. Burner with pilot lamp with individual control valves. Also fitted with a puffer on right hand side and a bottom shelf.	1200 x 600 x 850	2			
67	SS. Exhaust Hood with SS Filters	Entire exhaust is made of 20 swg.S.S-304 Sheet with S.S-304 baffle filters. Fitted with grease collection tray and hung with metal fasteners.	2550 x 750 x 500	1			

68	SS Side Work Table with 1 No. U/s.	Top of 16 swg. SS sheet on MS Angle frame work on S.S tubular legs 1¼" side/dia with adjustable bullet feet for uneven floors.. Also fitted with a back splash and under shelf. The top is fitted with stud welded bolts with the frame for sturdy and stronger grip	825 x 950 x 850 +50 spl	2		
69	Chapati Collection Trolley	Sunken top of 18 swg S. S. sheet body on square legs on castor wheels. Also provided with a bottom shelf.	750x600x850	4		
70	SS Chapati Rolling Table with MarbleTop & U/s on Castors.	Marble top rolling table is fitted on S.S. angle on S.S. square legs with adjustable bullet feet. Also fitted with a bottom shelf.	1200 x 600 x 850	2		
71	Dough Kneader	The heavy duty SS rotating drum is fitted with heavy duty MS stand & base, duty rust proof painted. Also fitted with heavy duty SS arm to mix the dough and duly connected to heavy duty motor.	25 Kg.	2		
72	SS Single Bowl Sink unit (R.H.S)	Top of 16 sg. SS sheet on S.S. Angle frame work on S.S square legs with adjustable bullet feet for uneven floors. Also fitted with one sink on RHS. Also fitted with a back splash and cross brazing. The top is fitted with stud welded bolts with the frame for sturdy and stronger grip. The bowl size 500x500x250	1150 x 650 x 850 + 150 spl.	1		
73	SS Work Table with Drain Board	Marine edged top of 16 swg. SS sheet on S.S. sheet on MS Angle frame work duly rust proof painted on S.S tubular legs 1¼" side/dia. with adjustable bullet feet for uneven floors.. Also fitted with a under shelf and a back plate.	1350 x 650 x 850 + 150 spl.	1		
74	Milk Boiler.	Triple walled mineral wool insulated all S.S. Sheet body is fitted on tiny legs. Fitted with water inlet valve with the third Wall and an immersion type hearing element with auto temp. controller and indicating lamp to heat milk. The second wall is insulated with mineral wool. Also fitted with water level indicator to maintain steady supply of water. Also fitted with a top opening lid with insulated handle.	80Ltrs	1		

75	Water Boiler.	Double walled mineral wool insulated all S Sheet body on SS legs with adjustable bullet feet. Fitted with 3.0 kw immersion type heating element with auto temperature controller and indicating lamps. Also fitted with a top opening lid with insulated handle and two insulated handles on either side to carry	80 Ltrs	1		
76	SS Side Work Table with 1 No. U/s.	Top of 16 swg. SS sheet on MS Angle frame work on S.S tubular legs 1¼" side/dia with adjustable bullet feet for uneven floors.. Also fitted with a back splash and under shelf. The top is fitted with stud welded bolts with the frame for sturdy and stronger grip	SS Side Work Table with 1 No. U/s.	1		
77	4 Burner Gas Range with Oven Below	Top of 16 swg. SS Sheet on M.S Angle frame work on SS Square legs with adjustable bullet feet for uneven floors. Fitted with United/Sarna make heavy duty burner with pilot lamps with individual control valves and heavy duty cast iron pan support. Also fitted with an electrically operated oven beneath.	950 x 950 x 850 + 150 Spl.	1		
78	SS. Exhaust Hood with SS Filters (I-Land type)	Entire exhaust is made of 20 swg.S.S-304 Sheet with S.S-304 baffle filters. Fitted with grease collection tray and hung with metal fasteners.	4720 x 2000 x 500	1		
79	Masala Trolley	The entire trolley is made on SS sheet body to keep inserts for preparation on tubular legs on 4 nos castor wheels-2 with breaks and 2 normal. Also fitted with a bottom shelf/cross brazings.	800 x 500 x 900	2		
80	SS Center Work Table with U/s on Castors.	Top of 16 swg. SS sheet on MS Angle frame work on S.S tubular legs 1¼" side/dia with adjustable bullet feet for uneven floors.. Also fitted with a back splash and under shelf. The top is fitted with stud welded bolts with the frame for sturdy and stronger grip	1200 x 600 x 850	1		
81	Garbage Cart	Moulded Plastic container with 2 Nos-Big castor wheel. Garbage cart should be set to keep vertically upright on its base complete with accessories as per specification.	100 L	4		
SERVICE AREA						
82	SS Tray Cutlery Trolley	The entire is made of S.S. hinges on S.S. square uprights on castor wheels.	600 x 600 x 750	1		

83	SS Water Cooler	Double walled puff insulated all S.S. Sheet body on S.S. adjustable bullet feet. Fitted with Emerson / Tecunsa make condensing unit with auto temp. controller and indicating lamps. Also fitted with water inlet valve, over flow protector valve and gun metal faucets and S.S. drip tray.	50 Ltrs	1		
		DISH WASH AREA				
84	SS Dirty Dish Landing Table with Garbage Chute (L.HS).	Top of 16 swg. S.S. Sheet on S.S. angle frame work on S.S. square pipes with adjustable bullet feet. Fitted with a garbage chute on left hand side and a cross brazing beneath.	1550 x 650 x 850 + 150 Spl.	1		
85	SS Two Bowl Sink Unit	Top of 16 sg. SS sheet on S.S. Angle frame work on S.S tubular legs 1¼" side/dia. with adjustable bullet feet for uneven floors. Also fitted with two sinks on RHS. Also fitted with a back splash and cross brazing. The top is fitted with stud welded bolts with the frame for sturdy and stronger grip. The bowl size 500x500x250	1500 x 650 x 850 + 150 Spl.	1		
86	Hot Water Geyser (Horizontal)	Hot Water Geyser (Horizontal)	100 Litres.	1		
87	Pre-rinse Jet Spray.	The spray unit to be fitted with hot & cold mixer		1		
88	Dish Washer,	Single tank rack conveyor with dryer	100 Racks/hr	1		
89	SS. Exhaust Hood with SS Filters (Wall type)	Same as sl.no.57	2250 x 950 x 500	1		
90	Chain Conveyor 90 deg.(Manual)	The heavy duty chain has to connect with the loading table and dish washer.	850 x 850 x 910	1		
91	SS Unloading Conveyor Table with Dishwash Rack holder. (manual)	The entire table is made of 16 swg. S.S. Sheet on S.S. angle frame work on S.S. Square legs with adjustable bullet feet. Also fitted with S.S. Hinges to hold the dish washing rack beneath.	1150 x 650 x 850 + 150 spl.	1		

92	SS Work Table with Dishwash Rack holder.	Top of 16 sg. SS sheet on MS Angle frame work duly rust proof painted on S.S tubular legs 1¼" side/dia. with adjustable bullet feet for uneven floors.. Also fitted with SS hinges to hold the 10 Nos Dish Washing rack of size 500 x 500.	1275 x 650 x 850 + 150 Spl.	1			
93	SS Dish Storage Rack.	The heavy duty 4 tiers rack are made of S.S-304 square pipe (38mm & 25mm) and duly welded with 4 nos. uprights on nylon adjustable feet for uneven floor.	1350x850x900	3			
94	Cutlery Soaking unit	Cutlery Soaking unit MOC-SS-304	625 x 625 x750	1			

		POT WASH AREA				
95	Hot Water Geyser (Horizontal)	Hot Water Geyser (Horizontal)	100 Litres.	1		
96	Pre-rinse Jet Spray.	Same as sl. No. 90		1		
97	SS Pot Rack	All the shelves are SS Square pipes on 4 nos square legs with adjustable bullet feet. All the joints are firmly welded and nicely grinded, polished and puffed to a smoother finish.	1300 x 600 x 1500	2		
98	SS Two Sink Pot Wash	Top of 16 sg. SS sheet on S.S. Angle frame work on S.S tubular legs 1¼” side/dia. with adjustable bullet feet for uneven floors. Also fitted with two sinks on RHS. Also fitted with a back splash and cross brazing. The top is fitted with stud welded bolts with the frame for sturdy and stronger grip. The bowl size 600x500x250	1500x600x850+150	1		
99	Pot Wash Masonic	Pot Wash Masonic with tile finish all around	1500 x 1500	1		
		TRAY SET UP AREA				
100	SS Tray Cutlery Trolley.	The entire is made of S.S. hinges on S.S. square uprights on castor wheels.	375x500x850	1		
101	Plate Dispenser.		800 x 400 x 850	1		
102	Tray Set up (Conveyer Type)	Top of 19 swg. S.S. Sheet on S.S. angle frame work on S.S. square pipes with adjustable bullet feet for uneven floors. Fitted with an electrically operated conveyer belt to shift the trays to load.	3900 x 600 x 850	1		
103	Hot Bain Marie on Castors.	Double walled mineral wool insulated all S.S. Sheet body is fitted with an immersion type heating element of 3.0 KW with auto temp. controller & indicating lamps on heavy duty castor wheels. Also fitted with 4 nos. G.N. pans with lids.	800 x 625 x 850	2		
104	SS Work Table with U/s.	Top of 16 swg. SS sheet on MS Angle frame work on S.S tubular legs 1¼” side/dia with adjustable bullet feet for uneven floors.. Also fitted with a back splash and under shelf. The top is fitted with stud welded bolts with the frame for sturdy and stronger grip	1500 x 650 x 850 + 150 spl.	1		
105	SS Rack on Castors	The heavy duty 4 tiers rack are made of S.S-304 square pipe (38mm & 25mm) and duly welded with 4 nos. uprights on Castors.	900 x 450 x 1800	2		

106	Food Warmer Trolley	Double walled mineral wool insulated all SS sheet body on heavy duty castor wheels with push cart type handle. Fitted with 3.0 kw heating element with auto temp. controller and indicating lamps and SS hinges to keep pre-plated plates with insulated lockable door. Damage resistant rubber cushion is fitted on all the corners to prevent any damage during movement.	875 x 688 x 1200	6		
107	Sink	MOC-SS-304	600x600x850 +150	1		
		MISCELLANEOUS				
108	Insecto Killer (Ceiling Mounted)	Insecto Killer (Ceiling Mounted)		8		
109	Air Curtain (Depend on Door Size)	Air Curtain (Depend on Door Size)		4		
110	Garbage Trolley	Garbage Trolley		3		
111	Extra Dishwash Racks	Extra Dishwash Racks				
A	Extra Dishwash Racks	Extra Dishwash Racks		4		
B	Dishwash Rack - Glasses / Cups	Dishwash Rack - Glasses / Cups		4		
C	Dishwash Rack - Tray	Dishwash Rack - Tray		4		
D	Dishwash Rack - Cutlery	Dishwash Rack - Cutlery		4		
112	Extra Gastronorm Pans	Extra Gastronorm Pans				
	1/1 GN Pan,	1/1 GN Pan, 200mm deep with lid		4		
	1/2 GN Pan,	1/2 GN Pan, 200 mm deep with lid.		6		
	1/2 GN Pan,	1/2 GN Pan, 150 mm deep with lid		3		
	1/2 GN Pan,	1/2 GN Pan, 150 mm deep with lid		3		
113	Hand wash sink with Faucet	Hand wash sink with Faucet		1		
114	Nani Trape Drainage	Nani Trape Drainage		7		
115	LPG BANK	LPG Bank with gas manifold system and Iron Grilled Cage/PNG (10+10)		1		
116		TURNKEY WORK AS DETAILED IN TECHNICAL SPECIFICATION		1Lot		
		SUB TOTAL Rs.				

Part-II							
Item No.	Description	Unit	Qty	Unit Rate In Rs (in Figure)	Unit Rate in Rs (in Words)	Amount (Rs.) (In Figure)	
1	2	3	4	5	6	7	
1.0	Comprehensive Maintenance Charges for the complete Kitchen appliances including spares, repair or replacement of defective equipments/parts, tolls, tackles, accessories, consumables, labour charges etc. complete in all respect after completion of Defect Liability Period as per the contract.						
	Ist Year		Job	1			
	2nd Year		Job	1			
	3rd Year		Job	1			
	SUB TOTAL Rs.						
	SUMMARY OF RATES QUOTED						
1	TOTAL (PART-I)						
2	TOTAL (PART-II)						
	Grand Total Amount (PART - I + PART - II) (in Figures) :-						
	In words : Rupees						
					Signature of Bidder		
	Date				Name of Bidder		
Note					Seal of the Bidder		
	1	The above format of Bill of Quantity(BOQ) should be neatly hand written.			The		
	2	BOQ in any other format other than the aboveformat or typed written shall be avoided.					
	3	The above quoted rates will be inclusive of all taxes, duties and other charges.					
	4	Cost of CMC will be added for ranking purpose					
	5	Cutting and overwriting should be avoided. Correction should be countersigned always.					
	6	Incase any error between Unit rate in figure and unit rate in words, the unit rate in words shall be cosidered					