

National Veterinary-Ayurveda ,Research Institute & Hospital(NVARI & H) (Central council for Research in Ayurvedic & Science, Ministry of Health & Family Welfare ,Govt.of India)

Tender

For

Supply, installation, testing & commissioning of Modular Type offices & Laboratory Furniture's & associated works etc at NVARI & H ,Lucknow

Volume-IV

Bill of Quantity

JUNE 2012



HSCC (INDIA) LTD.
(CONSULTANTS & ENGINEERS FOR MEGA HOSPITALS & LABORATORIES)
E-6(A), sector-1, NOIDA(U.P) 201301 (India)

Phone : 0120-2542436-40

Fax : 0120-2542447

PQ tender No. HSCC/BU-II/AYUSH/2012

Name of Project : Supply, installation, testing & commissioning of Modular Type Office and Laboratory furniture's & associated works etc at NVARI&H, Lucknow						
BILL OF QUANTITY						
S.NO.	DESCRIPTION	UNIT	QTY.	Rate in figure (in Rs.)	Rate in Words (in Rs.)	Amount (in Rs.)
1	TABLE FOR SCIENTIST ROOM	NOS	6			
	Providing and fixing of table of size 1800x900x750 with top made of 25mm thick plain particle board having post formed decorative laminate on top and balancing laminate on unexposed face. The understructure is made of 18mm thick prelaminated particle board with all exposed edges sealed with 2mm PVC edge banding tape and all unexposed edges sealed with 0.6mm edge banding tape pressed at 200o C with hot melt glue on special machines. Table has a provision for wire manager caps at top. The table also has a provision of drawer of size 450x575x725 made up of 18mm thick pre laminated particle board with Keyboard with mouse pad & CPU are made up of CRCA Steel.					
	Providing & Fixing Side Units of an over all sizes 1050x450x750 ht mm with top made up of 25mm postformed particle board with 0.6mm decorative laminate pressed on it. The understructure is made of 18mm prelaminated particle board having openable shutters. All the exposed edges of the storage are sealed with 2mm thick PVC edge banding tape and all unexposed edges sealed with 0.6mm edge banding tape pressed at 200o C with hot melt glue on special machines, with proper locking arrangement. The shelves are made of 0.8mm thick CRCA steel sheet duly powder coated.					

S.NO.	DESCRIPTION	UNIT	QTY.	Rate in figure (in Rs.)	Rate in Words (in Rs.)	Amount (in Rs.)
	<p>Providing & Fixing Back Units of an over all sizes 1300x450x750 ht mm with top made up of 25mm postformed particle board with 0.6mm decorative laminate pressed on it. The understructure is made of 18mm prelaminated particle board having openable shutters. All the exposed edges of the storage are sealed with 2mm thick PVC edge banding tape and all unexposed edges sealed with 0.6mm edge banding tape pressed at 200o C with hot melt glue on special machines, with proper locking arrangement. The shelves are made of 0.8mm thick CRCA steel sheet duly powder coated.</p>					
2	CONSULTANT TABLE	NOS	8			
	<p>Providing and fixing of table of size 1500x750x750 with top made of 25mm thick plain particle board having post formed decorative laminate on top and balancing laminate on unexposed face. The understructure is made of 18mm thick prelaminated particle board with all exposed edges sealed with 2mm PVC edge banding tape and all unexposed edges sealed with 0.6mm edge banding tape pressed at 200o C with hot melt glue on special machines. Table has a provision for wire manager caps at top. The table also has a provision of Keyboard with mouse pad & CPU are made up of CRCA Steel.</p>					

S.NO.	DESCRIPTION	UNIT	QTY.	Rate in figure (in Rs.)	Rate in Words (in Rs.)	Amount (in Rs.)
	<p>Providing & Fixing Side Storage Unit of overall size 1050x520x725 with top made of 25mm thick postformed particle board and understructure made of 18mm prelaminated particle board, having one openable shutter box on one side with shelf and two top drawers and one filing drawer on other side. All exposed edges are sealed with 2mm thick PVC edge banding tape and all unexposed edges sealed with 0.6mm edge banding tape pressed at 200o C with hot melt glue on special machines. The unit is provided with proper locking arrangement .</p>					

S.NO.	DESCRIPTION	UNIT	QTY.	Rate in figure (in Rs.)	Rate in Words (in Rs.)	Amount (in Rs.)
3	OFFICE TABLE	NOS	3			
	Providing and fixing of table of size 1200x600x750 with top made of 25mm thick plain particle board having post formed decorative laminate on top and balancing laminate on unexposed face. The understructure is made of 18mm thick pre laminated particle board with all exposed edges sealed with 2mm PVC edge banding tape and all unexposed edges sealed with 0.6mm edge banding tape pressed at 200o C with hot melt glue on special machines. Table has a provision for wire manager caps at top. The table also has a provision of Keyboard with mouse pad & CPU are made up of CRCA Steel.					
4	TABLE WITH DRAWER ,SIDE UNITS , KEY BOARD & CPU	NOS	4			
	Providing and fixing of table of size 1800x900x750 with top made of 25mm thick plain particle board having post formed decorative laminate on top and balancing laminate on unexposed face. The understructure is made of 18mm thick pre laminated particle board with all exposed edges sealed with 2mm PVC edge banding tape and all unexposed edges sealed with 0.6mm edge banding tape pressed at 200o C with hot melt glue on special machines. Table has a provision for wire manager caps at top. The table also has a provision of drawer of size 450x575x725 made up of 18mm thick pre laminated particle board with Keyboard with mouse pad & CPU are made up of CRCA Steel.					

S.NO.	DESCRIPTION	UNIT	QTY.	Rate in figure (in Rs.)	Rate in Words (in Rs.)	Amount (in Rs.)
	Providing & Fixing Side Units of an over all sizes 1050x450x750 ht mm with top made up of 25mm postformed particle board with 0.6mm decorative laminate pressed on it. The understructure is made of 18mm prelaminated particle board having openable shutters. All the exposed edges of the storage are sealed with 2mm thick PVC edge banding tape and all unexposed edges sealed with 0.6mm edge banding tape pressed at 200o C with hot melt glue on special machines, with proper locking arrangement. The shelves are made of 0.8mm thick CRCA steel sheet duly powder coated.					
5	STAFF / LIBRARY TABLE	NOS	21			
	Providing and fixing of Table of an over all sizes 1800x900x750 with top made of 25mm particle board having PVC lipping edges with 0.6mm thick laminate pressed on one side & balancing laminate on other side with all exposed edges sealed with 2mm PVC edge banding tape pressed at 200 deg C with hot melt glue on special machines. The understructure of table is made up of 1.2mm CRCA steel pipes of 40x40, 40x20, 20x20mm duly powder coated. Leveller is provided for adjusting any unevenness of floor area.					
6	RECEPTION TABLE	NOS	3			
	Providing and fixing reception table of an overall size of 2425X1000X1050 with top made up of 25mm thick Pre Laminated Particle Board with exposed edges sealed with PVC edge banding tape. The table top is supported on steel vertical studs of 50mm(D) and lower modesty made up of perforated steel sheet duly powder coated. The main table has a transaction top made of 10mm thick toughened glass supported on steel studs and upper Perforated Modesty duly powder coated.					
7	ROUND TABLE FOR CANTEEN	NOS	4			

S.NO.	DESCRIPTION	UNIT	QTY.	Rate in figure (in Rs.)	Rate in Words (in Rs.)	Amount (in Rs.)
	Providing & Fixing round shaped Table of dia 900mm with top made of 25mm prelaminated particle board and understructure made up of 18mm thick prelaminated particle board with all exposed edges sealed with 2mm PVC edge banding tape and unexposed edges sealed with 0.6mm PVC edge banding tape pressed at 200o C with hot melt glue on special machines. .					

S.NO.	DESCRIPTION	UNIT	QTY.	Rate in figure (in Rs.)	Rate in Words (in Rs.)	Amount (in Rs.)
8	CONFERENCE TABLE	SEATS	20			
	<p>Providing & Fixing of Conference Table of height 750mm with two seater module of size 1370(W)x600(D). The top made of 37mm thick MDF board pressed with 0.4mm thick membrane foil clad pressed with PU glue. The foil is precoated with a layer of polyurethane for better scratch resistance. The table vertical are made of 25mm thick postformed particle board & modesty made of 18mm thick prelaminated particle board with decorative laminate on both sides. All the edges are sealed with 2mm PVC edge banding tape and unexposed edges sealed with 0.6mm PVC edge banding tape pressed at 200o C with hot melt glue on special machines. The Round corner piece is made up of 36mm thick MDF board pressed with 0.4mm thick membrane foil clad pressed with PU glue and supported with post of 65mm dia made of CRCA sheet duly powder coated. The complete table unit is made up of combination of tables and round corner pieces as per site measurements.</p>					
9	BED	NOS	9			

S.NO.	DESCRIPTION	UNIT	QTY.	Rate in figure (in Rs.)	Rate in Words (in Rs.)	Amount (in Rs.)
	Supply & fixing single bed without box of an overall size 900(L)x1800(B)x450(H). The Head side of 900mm height & foot side of 500mm height are made up of 36mm (18+18) commercial board with half round postformed edge on top surface with 0.6mm postforming laminate. The sides of 300mm height are made up of 18mm commercial board with half round postforming edge on top surface. The base is made of 12mm commercial ply supported with wooden battens. All exposed edges are sealed with PVC edge banding tape and unexposed edges sealed with 0.6mm PVC edge banding tape pressed at 200o C with hot melt glue on special machines.The bed isto be suppliedwith mattresses of 50 density make approved by E.I.Box type construction of bed is required for storage purpose.					
10	BED SIDE TABLE	NOS	11			
	Providing and fixing Side Table of an over all sizes 450x450x450 with top made of 25mm thick particle board with post formed laminate on top & balancing laminate on unexposed face. The understructure is made of 18mm thick prelaminated particle board with both side laminate having all exposed edges sealed with PVC edge banding tape pressed at 200o C with hot melt glue on special machines.					
11	CORNER TABLE	NOS	15			
	Providing and supplying Side table of an over all sizes 550(W)x550(D)x510(H) with top made of 12mm thick bevelled glass and understructure with a shelf is made of chrome plated steel legs					
12	CENTER TABLE					
	Providing and supplying center Table with top made of 12mm thick bevelled glass and understructure with a shelf is made of chrome plated steel legs					
	1200(W)x600(D)x450(H)	NOS	1			

S.NO.	DESCRIPTION	UNIT	QTY.	Rate in figure (in Rs.)	Rate in Words (in Rs.)	Amount (in Rs.)
	1200(W)x600(D)x450(H)	NOS	4			
13	COFFEE TABLE	NOS	4			
	Providing & Fixing round shaped Coffee Table of dia and ht 600mm with top made of 25mm prelaminated particle board and understructure made up of 18mm thick prelaminated particle board with all exposed edges sealed with 2mm PVC edge banding tape and unexposed edges sealed with 0.6mm PVC edge banding tape pressed at 200o C with hot melt glue on special machines.					

S.NO.	DESCRIPTION	UNIT	QTY.	Rate in figure (in Rs.)	Rate in Words (in Rs.)	Amount (in Rs.)
14	TV UNIT	NOS	4			
	Providing and fixing T.V. unit of an overall size 1200x450x750 with top made of 25mm thick particle board having Post formed laminate on top & understructure made of 18mm Pre Laminated Particle Board. The unit has two openable Glass shutter on both sides with shelf and one drawer with open space in middle with all exposed edges sealed with PVC edge banding tape with proper locking arrangement.					
15	DRESSING TABLE	NOS	4			
	Providing & Fixing dressing unit of overall size 900x450x600 with top made of 25mm thick postformed particle board and understructure made of 18mm prelaminated particle board, having one openable drawer. All exposed edges are sealed with 2mm thick PVC edge banding tape and all unexposed edges sealed with 0.6mm edge banding tape pressed at 200o C with hot melt glue on special machines.					
16	GLASS RACK	NOS	132			
	Providing & Fixing Glass Rack of overall size 890x400x1890h with body made of CRCA steel duly powder coated and vertical sides made of 25 mm prelaminated particle board with all exposed edges sealed with 2mm thick PVC edge banding tape and unexposed edges sealed and unexposed edges sealed with pressed at 200o C with hot melt glue on special machines.					
17	LOW HT STORAGE	NOS	18			

S.NO.	DESCRIPTION	UNIT	QTY.	Rate in figure (in Rs.)	Rate in Words (in Rs.)	Amount (in Rs.)
	Providing & Fixing Storage Units of an over all sizes 900x450x1230 made of 18mm prelaminate particle board having openable shutters with all exposed edges sealed with 2mm thick PVC edge banding tape and all unexposed edges sealed with 0.6mm edge banding tape pressed at 200o C with hot melt glue on special machines, with proper locking arrangement. The shelves are made of CRCA steel sheet of 0.8mm thickness duly powder coated.					
18	CLOSED STEEL RACK	NOS	57			
	Providing & Fixing metal shelving rack closed from three sides as per ISI : 1883/75 with angels of size 40x40x2mm. MS shelves and corners are provided in 1mm thick & 75mm long. The complete steel rack is duly powder coated.					
19	STEEL ALMIRAH	NOS	14			
	Providing and fixing office almirah of an overall size 916x480x1980(h) with CRCA body of 0.8mm thick duly powder coated with openable shutters having proper inbuilt locking arrangement with rod and handle. The almirah has 4 shelves making 5 compartments.					
20	CHEMICAL STORAGE (1000 (L) X 486 (D) X 1800 (H))	NOS	1			

S.NO.	DESCRIPTION	UNIT	QTY.	Rate in figure (in Rs.)	Rate in Words (in Rs.)	Amount (in Rs.)
	<p>Providing & Fixing Chemical Storage Cabinet having following features:-</p> <ul style="list-style-type: none"> * Complete Structure made up of heavy duty, durable, chemical resistant aluminium channels with epoxy powder coating internal paneling. * Shelves made up of "Phenolic resin Laminates" (6mm thick). Chemical & heat resistant & fire retardant. * Front doors are provided with safety glass fitted in aluminium channels with sliding movement with lock & key arrangement with visible internal storage area. * Storage facility:- Total 4 nos. shelves with compartments having 400mm height each is provided along with PP trays to store chemical bottles. 					

S.NO.	DESCRIPTION	UNIT	QTY.	Rate in figure (in Rs.)	Rate in Words (in Rs.)	Amount (in Rs.)
21	FLOOR MOUNTED STORAGE					
21a)	The floor mounted cabinet with steel shutter are made up of 0.8mm thick S.S. sheet.The shutters are fixed with auto closing hinges. The drawer trays are mounted on telescopic slides. Multipurpose Locks to be provided for locking					
i	600(W) x 570(D) x 675(H) 2 Shutter+1 Drawer	NOS	60			
ii	450(W) x 570(D) x 675(H) 1 Shutter+1 Drawer	NOS	3			
iii	Corner 900(W) x 570(D) x 675(H) 1 Shutter	NOS	5			
21b)	The floor mounted cabinet with steel shutter are made up of 0.8mm thick M.S. Sheet which are epoxy powder coated with thickness of 50-60 microns.The shutters are fixed with auto closing hinges.The drawer trays are mounted on telescopic slides. Multipurpose Locks to be provided for locking.					
i	600(W) x 570(D) x 675(H) 2 Shutter+1 Drawer	NOS	65			
ii	450(W) x 570(D) x 675(H) 1 Shutter+1 Drawer	NOS	2			
iii	Corner 900(W) x 570(D) x 675(H) 1 Shutter	NOS	4			
22	FLOOR MOUNTED SINK UNITS					

S.NO.	DESCRIPTION	UNIT	QTY.	Rate in figure (in Rs.)	Rate in Words (in Rs.)	Amount (in Rs.)
22A)	The floor mounted cabinet with sink cut out are made up of 0.8mm thick S.S. sheet. The shutters are made up of 0.8mm thick SS sheet. The shutters are fixed with auto closing hinges. The drawer trays are mounted on telescopic slides. Multipurpose Locks to be used for locking purpose.					
	900(W) x 570(D) x 675(H) 2 Shutter	NOS	6			
22B)	The floor mounted cabinet with sink cut out are made up of 0.8mm thick M.S. sheet. The shutters are made up of 0.8mm thick M.S. Sheet which are epoxy powder coated with thickness of 50-60 microns. The shutters are fixed with auto closing hinges. The drawer trays are mounted on telescopic slides. Multipurpose Locks to be used for locking.					
	900(W) x 570(D) x 675(H) 2 Shutter	NOS	6			
23	LEGSPACES					
23a)	Providing & fixing Legspace with a provision of Slim Drawer of 150mm Ht. Drawer front is made up of 1.0mm thick S.S. sheet. The drawer trays are mounted on telescopic slides.					
	600(W) with slim drawer of Ht. 150mm	NOS	25			
23b)	Providing & fixing Legspace with a provision of Slim Drawer of 150mm Ht., the drawer front is made of M.S. material of drawer is epoxy powder coated with powder coating thickness of 50-60 microns. The drawer trays are mounted on telescopic slides.					
	675(W) with slim drawer of Ht. 150mm	NOS	25			
24	UNDERSTRUCTURE STAND					
24A)	The storage understructure stand is made up of 1.2mm thick, 30mmx30mm heavy duty S.S. Square tubes. .The understructure stand consists of 4 height adjusters which takes care of all levelling aspects.					
a)	450(W)x425(D)x175(H)	NOS	3			
b)	600(W)x425(D)x175(H)	NOS	70			

S.NO.	DESCRIPTION	UNIT	QTY.	Rate in figure (in Rs.)	Rate in Words (in Rs.)	Amount (in Rs.)
d)	900(W)x425(D)x175(H)	NOS	6			
e)	CORNER 900(W)x425(D)x175(H)	NOS	5			
24B)	The storage understructure stand is made up of 1.2mm thick, 30mmx30mm heavy duty M.S. Material of understructure is epoxy powder coated with powder coating thickness 40-50 microns .The understructure stand consists of 4 height adjusters which takes care of all levelling aspects.					
a)	450(W)x425(D)x175(H)	NOS	2			
b)	600(W)x425(D)x175(H)	NOS	90			
d)	900(W)x425(D)x175(H)	NOS	7			
e)	CORNER 900(W)x425(D)x175(H)	NOS	4			
25	REGENT SHELF (WITH UNDER STRUCTURE TABLE)					
25A)	Regent Shelves of Ht. 600Mm with complete modular design consists of horizontal 2 stage storage shelves. The end vertical support and horizontal shelves are made up of 0.8mm thick SS Sheet. The horizontal shelf have a provision for fixing the service panel to it. The service panels carry electrical switches and socket cut-outs. Each understructure table of Ht.900mm consist of 4 height adjusters that takes care of all leveling aspects.					
i	MAIN MODULE					
a)	900(W)x300(D)x600(H)	NOS	6			
b)	1200(W)x300(D)x600(H)	NOS	8			
ii	ADD-ON-MODULE					
a)	900(W)x300(D)x600(H)	NOS	10			
b)	1200(W)x300(D)x600(H)	NOS	30			

S.NO.	DESCRIPTION	UNIT	QTY.	Rate in figure (in Rs.)	Rate in Words (in Rs.)	Amount (in Rs.)
24B)	Regent Shelves of Ht. 600Mm with complete modular design consists of horizontal 2 stage storage shelves. The end vertical support and horizontal shelves are made up of 0.8mm thick MS Sheet. The horizontal shelf have a provision for fixing the service panel to it. The service panels carry electrical switches and socket cut-outs. The carcass is of 1.2 mm thick 30mm x 30mm heavy duty ERW MS square tubes. The structure of the unit is epoxy powder coated with powder coating thickness as 45-50 microns. Each understructure table of Ht.900mm consist of 4 height adjusters that takes care of all leveling aspects.					
i	MAIN MODULE					
a)	900(W)x300(D)x600(H)	NOS	4			
b)	1200(W)x300(D)x600(H)	NOS	5			
ii	ADD-ON-MODULE					
a)	900(W)x300(D)x600(H)	NOS	8			
b)	1200(W)x300(D)x600(H)	NOS	20			
25	WORKTOP					
25A)	It shall be 20 mm thick jet black granite with edges having □□round profiles of 5 mm radius on top side. The overhange on the storage cabinet is 40 mm at the front side and 50 mm at the side. It should also have a V-Groove cut at 30 mm from the front edge. The backing material used for granite is a neoprene mat of 6 mm thickness	SQ.FT	700			
25B)	WORKTOP MADE UP OF SS with flat edeges curved falling down and backing material used for this is Pre-Laminated Particle Board OF 1.2MM THICKNESS	SQ.FT	600			
26	CERAMIC SINK WITH WATER SAVER 1 WAY BRASS FAUCET					
	Ceramic sink make Hindware of size (L x W x D) to be 515 x 375 x 145 mm. WITH 1 WAY FALL DOWN BRASS WATER SAVER FAUCETS	NOS	14			

S.NO.	DESCRIPTION	UNIT	QTY.	Rate in figure (in Rs.)	Rate in Words (in Rs.)	Amount (in Rs.)

S.NO.	DESCRIPTION	UNIT	QTY.	Rate in figure (in Rs.)	Rate in Words (in Rs.)	Amount (in Rs.)
27	EXECUTIVE CHAIRS	NOS	13			
	High Back Revolving Chair Upholstry/Frame: 12 mm hot pressed ply in seat and back with PU moulded foam and fabric upholstery with PVC lipping all around. Seat & back size : 480 mm (w) x 440 mm (D) , 480 mm (w) x 720 mm (H) Arms: Steel inserted PU arms Mechanism : Central tilt mechanism. Height Adjustment : Gas Lift Base : Steel inserted nylon base with twin wheel castors					
28	EXECUTIVE VISITOR CHAIRS	NOS	20			
	Visitor chair Upholstry/Frame: 12 mm hot pressed ply in seat and back with PU moulded foam and fabric upholstery with PVC lipping all around. Seat & back size : 480 mm (w) x 440 mm (D) , 480 mm (w) x 460 mm (H) Arms: Steel inserted PU arms Base : Fixed steel base with PVC shoes					
29	STAFF CHAIRS	NOS	133			
	CONFERENCE CHAIRS	NOS	22			
	Medium Back Revolving chair Upholstry/Frame: 12 mm hot pressed ply in seat and back with PU moulded foam covered with fabric and PVC lipping all around Seat & back size : 480 mm (w) x 440 mm (D) , 480 mm (w) x 460 mm (H) Arms: Steel inserted PU arms Mechanism : Central tilt mechanism. Height Adjustment : Gas Lift Base : Steel inserted nylon base with twin wheel castors					
31	SCIENTIST ROOM CHAIRS	NOS	6			

S.NO.	DESCRIPTION	UNIT	QTY.	Rate in figure (in Rs.)	Rate in Words (in Rs.)	Amount (in Rs.)
	High Back Revolving Chair: Upholstry/Frame: One piece ply in seat & back with foam & polyfill and leatherite upholstery Seat & back size : 750 mm (w) x 750 mm (D) , x 1150-1230 mm (H) Arms: Stainless Steel elliptical and round tubular structure Mechanism : Syncrotiltt mechanism/ Height Adjustment : Gas Lift: Pedestal Assembly: made of High pressure Die cast aluminium fitted with 5 nos twin wheel nylon . The pedeatal is 650mm thik center diameter .					
32	SCIENTIST ROOM VISITOR CHAIRS	NOS	18			
	High Back Revolving Chair: Upholstry/Frame: One piece ply in seat & back with foam & polyfill and leatherite upholstery Seat & back size : 615 mm (w) x615 mm (D) , x 955 mm (H) Arms: Stainless Steel elliptical and round tubular structure. Base :1.2 Eliptical Ms ERW Tube with base plate for seat fixing.					
33	CANTEEN CHAIRS	NOS	16			
	Canteen Chair having L-type moulded laminated ply with chrome plated base					
34	BED ROOM CHAIRS	NOS	4			

S.NO.	DESCRIPTION	UNIT	QTY.	Rate in figure (in Rs.)	Rate in Words (in Rs.)	Amount (in Rs.)
	<p>Single seater premium lounge sofa is a flexible back lounge seating system standing on beam with frame assemblies.</p> <p>Side frame & Assymbly : The side frame assymbly is fitted to two ends of the connecting beam assymbly to form the leg cum armrest assymbly it is made of a MS ERW tube dia 3.81 cm x 14 BG thick and black powder coated. the ends are fitted with ABS moulded end caps.</p> <p>Seatrest Assymbly : The seatrest assymbly consists of fabricated inner frame assymbly with moulded PU foam having density 45+-2 kg/ cm3 and is covered with fabric.</p> <p>Back rest assymbly : The backrest assymbly is flexible type and consists of a fabricated inner frame assymbly with moulded PU foam having density 45+-2 kg/cm3 and is covered with fabric.</p>					

S.NO.	DESCRIPTION	UNIT	QTY.	Rate in figure (in Rs.)	Rate in Words (in Rs.)	Amount (in Rs.)
35	MULTISEATER	NOS	32			
	Triple seater multiseater chair having moulded laminated ply in seat & back with wooden arms, 19 mm CRC pipe steel frame duly powder coated with side in :D" pipe and base in 1 1/2" pipe in 14 gauge.					
36	SOFA					
	Fully upholstered sofa with good quality seasoned wood duly anti termite treated. In seat, good quality flat spring steel are used and are covered by "U" foam. Seat cushion has premium quality rubber. The back is made of high density foam duly upholstered with fabric or leatherite. The armrest are made of seasoned teakwood duly sprit polished.					
i	SINGLE SEATER	NOS	2			
ii	TWO SEATER	NOS	9			
iii	THREE SEATER	NOS	6			
37	SEMINAR ROOM CHAIR	NOS	65			
	Half desk chair made up of 25 mm CRCA pipe frame 'S' shape with 12 mm moulded ply with moulded PU foam in seat & back with PVC liping. Half writing board is made up of 18 mm pre-laminated particle board with edge sealed with 2mm pvc edge banded tap. The chair is provided with wire mesh tray at bottom duly powder coated.					
38	LAB STOOL	NOS	143			
	Revolving stool with back having powder coated steel fixed base with shoes having manual height adjustment mechanism with an option of leatherite or fabric uphostery in seat and back.					
39	LCD TV	NOS	4			
	LCD TV of size 32" LG/ Samsung/ Sony make with provision of HDMI, USB port, including electrical works/ wiring/ wall chasing.					

S.NO.	DESCRIPTION	UNIT	QTY.	Rate in figure (in Rs.)	Rate in Words (in Rs.)	Amount (in Rs.)
40	ATTENDANCE MACHINE	NOS	1			
	Providing attendance machine having thumb impression of branded make as per diection & approval of Engineer.					
41	REFRIGERATOR	NOS	4			
	Refrirator of 185 Lt atleast 2 star rating of Godrej/ LG/ Samsung make with all related electraical acessories.					
	TOTAL					